

References

Introduction

1 D. Ludwig and C. Ebbeling, 'The carbohydrate–insulin model of obesity beyond “calories in, calories out”', *Journal of the American Medical Association Internal Medicine* (2018), doi:10.1001/jamainternmed.2018.2933; see also C. Ebbeling et al, 'Effects of a low carbohydrate diet on energy expenditure during weight loss maintenance: randomized trial', *British Medical Journal*, 2018 Nov 14;363:k4583.

Part One

1 Z. Harcombe *et al.*, 'Evidence from randomised controlled trials did not support the introduction of dietary fat guidelines in 1977 and 1983', *Open Heart* (2015), vol 2:e:000196.

2 Z. Harcombe *et al.*, 'Evidence from randomised controlled trials does not support current dietary fat guidelines: a systematic review and meta-analysis', *Open Heart* (2016), vol 3:e000409.

3 R. Chowdhury *et al.*, 'Association of dietary, circulating, and supplement fatty acids with coronary risk: a systematic review and meta-analysis', *Annals of Internal Medicine* (2014), vol 160(6):398–406.

4 Paul Thacker, Coca-Cola's secret influence on medical and science journalists BMJ 05 April 2017; <https://doi.org/10.1136/bmj.j1638> 2017;357:j1638

The article had a correction which read: 'This investigation (BMJ 2017;357:j1638, doi:10.1136/bmj.j1638) was based on documents, originally obtained by the organisation US. Right to Know, and later verified for authenticity by the General Counsel's office at the University of Colorado.'

5 P. Barlow *et al.*, 'Science organisations and Coca-Cola's “war” with the public health community: insights from an internal industry document', *Journal of Epidemiology and Community Health* (2017), vol 72(9):761–763.

6 M. Hörle, 'Fat: the new health paradigm', <https://www.credit-suisse.com/corporate/en/articles/news-and-expertise/fat-the-new-health-paradigm-201509.html>; 'Food for thought: the science and politics of nutrition', http://institute.swissre.com/events/food_for_thought_bmj.htm.

7 M. Kendrick, 'Why saturated fat cannot raise cholesterol levels (LDL levels)', <https://drmalcolmkendrick.org/2018/07/03/why-saturated-fat-cannot-raise-cholesterol-levels-ldl-levels>.

- 8 T. Ward ‘Saturated fat and CAD: it’s complicated’, *Medscape*, 9 February 2015, <https://www.medscape.com/viewarticle/839360>.
- 9 J. Burne, ‘How the low fat high carb dogma fell apart’, <http://healthinsightuk.org/2016/12/12/how-the-low-fat-high-carb-dogma-fell-apart/>.
- 10 The quote appeared on The Facebook page <https://www.facebook.com/Nutritional-Psychology-389548211201480/> Under the heading: 'Belinda Fetke No Fructose'. It was also quoted on JB's blog: <http://healthinsightuk.org/2015/12/01/the-dietitians-blowback-against-low-carbs-continues-evidence-in-favour-keeps-mounting/>
- Jenifer Elliott wrote her own account of the saga for blog run by nutritionist Dr Zoe Harcombe. It does not contain the specific quote but contains a detailed account of the episode: <http://www.zoeharcombe.com/2015/10/jennifer-elliott-vs-dietitians-association-of-australia/>
- 11 J. Burne, ‘How the low fat high carb dogma fell apart’, <http://healthinsightuk.org/2016/12/12/how-the-low-fat-high-carb-dogma-fell-apart/>.
- 12 N. Teicholz, ‘The scientific report guiding the US dietary guidelines: is it scientific?’, *British Medical Journal* (2015), vol 351:h4962.
- 13 <http://www.zoeharcombe.com/2018/07/the-eatwell-guide-is-nutritionally-deficient/>
- 14 Z. Harcombe, ‘What is a healthy diet?’, <http://www.zoeharcombe.com/2018/07/what-is-a-healthy-diet/>.
- 15 D. Unwin and J. Unwin, ‘Low carbohydrate diet to achieve weight loss and improve HbA1c in type 2 diabetes and pre-diabetes: experience from one general practice’, *Practical Diabetes* (2014), vol 31(2):76–79.
- 16 D. Unwin *et al.*, ‘It is the glycaemic response to, not the carbohydrate content of food that matters in diabetes and obesity: the glycaemic index revisited’, *Journal of Insulin Resistance* (2016), vol 1(1):a8.
- 17 L. Jonasson *et al.*, ‘Advice to follow a low-carbohydrate diet has a favourable impact on low-grade inflammation in type 2 diabetes compared with advice to follow a low-fat diet’, *Annals of Medicine* (2014), vol 46(3):182–187; M. Noakes *et al.*, ‘Comparison of isocaloric very low carbohydrate/high saturated fat and high carbohydrate/low saturated fat diets on body composition and cardiovascular risk’, *Nutrition & Metabolism* (2006), vol 3:7; L.R. Saslow *et al.*, ‘Twelve-month outcomes of a randomized trial of a moderate-carbohydrate versus very low-carbohydrate diet in overweight adults with type 2 diabetes mellitus or prediabetes’, *Nutrition & Diabetes* (2017), vol 7:304.

- 18 A.L McKenzie *et al.*, ‘A novel intervention including individualized nutritional recommendations reduces hemoglobin A1C level, medication use, and weight in type 2 diabetes’, *JMIR Diabetes* (2017), vol 2(1):e5.
- 19 M.R. McKenzie and S. Illingworth, ‘Should a low carbohydrate diet be recommended for diabetes management?’, *Proceedings of the Nutrition Society* (2016), vol 76(1):e19.
- 20 M.E.J. Lean *et al.*, ‘Primary care-led weight management for remission of type 2 diabetes (DiRECT): an open-label, cluster-randomised trial’, *Lancet* (2017), vol 391(10120):541–551.
- 21 R. Taylor *et al.*, ‘Remission of human type 2 diabetes requires decrease in liver and pancreas fat content but is dependent upon capacity for β cell recovery’, *Cell Metabolism* (2018), vol 18(30446–7):ii:S1550–4131.
- 22 C.W. Cheng *et al.*, ‘fasting-mimicking diet promotes NGN3-driven β -cell regeneration to reverse diabetes’, *Cell* (2017), vol 168(5):775–788.
- 23 M. Kalamian, *Keto for Cancer*, Hartford, VT: Chelsea Green, 2017.
- 24 R.M. Wilder, ‘The effect of ketonemia on the course of epilepsy’, *Mayo Clinic Proceedings* (1921), vol 2:307–308.
- 25 H. Ledford, ‘The right diet can boost potency of cancer drugs’,
<http://www.nature.com/articles/d41586-018-05694-w>.
- 26 K.J. Martin-McGill *et al.*, ‘The modified ketogenic diet in adults with glioblastoma: an evaluation of feasibility and deliverability within the National Health Service’, *Nutrition and Cancer* (2018), vol 70(4):643–649.
- 27 E.C. Woolf *et al.*, ‘Tumor metabolism, the ketogenic diet and β -hydroxybutyrate: novel approaches to adjuvant brain tumor therapy’, *Frontiers in Molecular Neuroscience*, vol 9:122.
- 28 A. Poff *et al.*, ‘Targeting the Warburg effect for cancer treatment: ketogenic diets for management of glioma’,
<https://www.sciencedirect.com/science/article/pii/S1044579X17301244>.
- 29 P.H. Wise, ‘Cancer drugs, survival, and ethics’,
<https://www.bmj.com/content/355/bmj.i5792>.
- 30 S. Mukherjee, ‘A failure to heal’, <https://www.nytimes.com/2017/11/28/magazine/a-failure-to-heal.html>.
- 31 R. Buono and V.D. Longo, ‘Starvation, stress resistance, and cancer’, *Trends in Endocrinology and Metabolism* (2018), vol 29(4):271–280.

- 32 C.E. Ramsden *et al.*, 'Re-evaluation of the traditional diet–heart hypothesis: analysis of recovered data from Minnesota Coronary Experiment (1968–73)', *British Medical Journal* (2016), vol 353:i1246.
- 33 M. Dehghan *et al.*, 'Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study', *Lancet* (2017), vol 390(10107):2050–2062.
- 34 M. Kendrick, 'What causes heart disease: part 52', <https://drmalcolmkendrick.org/>.
- 35 T. Hamazaki *et al.*, 'Towards a paradigm shift in cholesterol treatment: a re-examination of the cholesterol issue in Japan', *Annals of Nutrition and Metabolism* (2015), vol 66(S4):1–116.
- 36 Ian Sample, Big pharma mobilising patients in battle over drugs trials data <https://www.theguardian.com/business/2013/jul/21/big-pharma-secret-drugs-trials>
- 37 F. Godlee, 'Statins: we need an independent review', *BMJ* 15 September 2016; <https://doi.org/10.1136/bmj.i4992> Citation: *BMJ* 2016;354:i4992 (<https://www.bmj.com/content/354/bmj.i4992.full.print>)
- 38 https://journals.bmj.com/sites/default/files/BMJ/statins/SP21_CTSU_grants_May_2014.pdf
- 39 L. Johnston EXCLUSIVE: 'Statins expert calls for safety checks over the drug', *Sunday Express* Feb 15, 2015
- 40 J. Gerber, 'Insulin resistance not cholesterol causes heart disease', <https://www.youtube.com/watch?reload=9&v=wHFbMUU0Oag>.
- 41 J.R. Kraft, 'Detection of diabetes mellitus *in situ* (occult diabetes)', *Laboratory Medicine* (1975), vol 6(2):10–22.
- 42 J.R. Kraft, 'Detection of diabetes mellitus *in situ* (occult diabetes)', *Laboratory Medicine* (1975), vol 6(2):10–22.
- 43 M. Nieuwdorp *et al.*, 'Loss of endothelial glycocalyx during acute hyperglycemia coincides with endothelial dysfunction and coagulation activation in vivo', *Diabetes* (2006), vol 55(2):480–486.
- 44 J.J. DiNicolantonio *et al.*, 'Postprandial insulin assay as the earliest biomarker for diagnosing pre-diabetes, type 2 diabetes and increased cardiovascular risk', *Open Heart* (2017), vol 4(2):e000656.
- 45 F. Abbasi *et al.*, 'Relationship between obesity, insulin resistance, and coronary heart disease risk', *Journal of the American College of Cardiology* (2002), vol 40(5):937–943.

- 46 F.S. Facchini *et al.*, ‘Insulin resistance as a predictor of age-related diseases’, *Journal of Clinical Endocrinology and Metabolism* (2001), vol 86(8):3574–3578.
- 47 I. Cummings and J.N. Gerber, ‘A biomedical approach to tackling CVD prevention’, http://www.bacpr.com/resources/AD7_Thurs_5th_Oct_2017__Session_4_Ivor_Cummins.pptx.pdf.
- 48 W. Luo *et al.*, ‘Study on the levels of glycosylated lipoprotein in patients with coronary artery atherosclerosis’, *Journal of Clinical Laboratory Analysis* (2018), vol 12:e22650.
- 49 T.L. Halton *et al.*, ‘Low-carbohydrate-diet score and the risk of coronary heart disease in women’, *New England Journal of Medicine* (2006), vol 355(19):1991–2002. See also T. Hu and L.A. Bazzano, ‘The low-carbohydrate diet and cardiovascular risk factors: evidence from epidemiologic studies’, *Nutrition, Metabolism and Cardiovascular Diseases* (2014), vol 24(4):337–343.
- 50 T. Hu and L. A. Bazzano ‘The low-carbohydrate diet and cardiovascular risk factors: Evidence from epidemiologic studies’, *Nutr Metab Cardiovasc Dis.*, 2014 Apr; 24(4): 337–343. doi: 10.1016/j.numecd.2013.12.008
- 51 N. Heussinger *et al.*, ‘10 patients, 10 years – long term follow-up of cardiovascular risk factors in Glut1 deficiency treated with ketogenic diet therapies: a prospective, multicenter case series’, *Clinical Nutrition* (2017), vol 17(31399–7):ii:S0261–5614.
- 52 T.D. Noakes and J. Windt, ‘Evidence that supports the prescription of low-carbohydrate high-fat diets: a narrative review’, *British Journal of Sports Medicine* (2017), vol 51(2):133–139.
- 53 L.A. Bazzano *et al.*, ‘Effects of low-carbohydrate and low-fat diets: a randomized trial’, *Annals of Internal Medicine* (2014), vol 161(5):309–318.
- 54 L.R. Saslow *et al.*, ‘A randomized pilot trial of a moderate carbohydrate diet compared to a very low carbohydrate diet in overweight or obese individuals with type 2 diabetes mellitus or prediabetes’, *PLoS ONE* (2014), vol9(4):e91027.
- 55 D.S. Ludwig and C.B. Ebbeling, ‘The carbohydrate–insulin model of obesity: beyond “calories in, calories out”’, *JAMA Internal Medicine* (2018), vol 178(8):1098–1103.
- 56 N.G. Norgan and J.V. Durnin, ‘The effect of 6 weeks of overfeeding on the body weight, body composition, and energy metabolism of young men’, *American Journal of Clinical Nutrition* (1980), vol 33(5):978–988.
- 57 C.B. Ebbeling *et al.*, ‘Effects of dietary composition on energy expenditure during weight-loss maintenance’, *Journal of the American Medical Association* (2012), vol 307(24):2627–2634.

- 58 K.D. Hall *et al.*, 'Energy expenditure and body composition changes after an isocaloric ketogenic diet in overweight and obese men', *American Journal of Clinical Nutrition* (2016), vol 104(2):324–333.
- 59 S.C. Cunnane *et al.*, 'Can ketones help rescue brain fuel supply in later life?', *Frontiers in Molecular Neuroscience* (2016), vol 9:53.
- 60 P.F. Bougneres *et al.*, 'Ketone body transport in the human neonate and infant', *Journal of Clinical Investigation* (1986), vol 77(1):42–48.
- 61 M. Newport, 'A new way to produce hyperketonemia: use of ketone ester in a case of Alzheimer's disease', *Alzheimer's and Dementia* (2015), vol 11(1):99–103.
- 62 A.D. Smith and H. Refsum, 'Dementia prevention by disease-modification through nutrition', *Journal of Prevention of Alzheimer's Disease* (2017), vol 4(3):138–139.
- 63 J. Burne, 'Policy on Alzheimer's: sure we want a cure, just so long as it's not cheap', <http://healthinsightuk.org/2015/08/06/policy-on-alzheimers-sure-we-want-a-cure-just-so-long-as-its-not-cheap/>.
- 64 R.M. Wilder, 'The effect of ketonemia on the course of epilepsy', *Mayo Clinic Proceedings* (1921), vol 2:307–308.
- 65 K. Augustin *et al.*, 'Mechanisms of action for the medium-chain triglyceride ketogenic diet in neurological and metabolic disorders', *Lancet Neurology* (2018), vol 17(1):84–93.
- 66 R. McArtney *et al.*, 'What is a ketogenic diet and how does it affect the use of medicines?', *ADC Education and Practice* (2014), vol 102(4):194–199.
- 67 M. Phillips *et al.*, 'Low-fat versus ketogenic diet in Parkinson's disease: a pilot randomized controlled trial.' *Movement Disorders* (2018), <https://onlinelibrary.wiley.com/doi/full/10.1002/mds.27390>.
- 68 Geoffrey Leader and Lucille Leader, *Parkinson's Disease: Reducing Symptoms with Nutrition and Drugs*, 3rd edn, London: Denor Press, 2017.

Part Two

- 1 D. Unwin and J. Unwin, 'Low carbohydrate diet to achieve weight loss and improve HbA1c in type 2 diabetes and pre-diabetes: experience from one general practice', *Practical Diabetes* (2014), vol 31(2):76–79.

- 2 F. He *et al.*, 'Glycemic load is associated with diabetes and prediabetes among middle-aged and elderly adults in Guangzhou, China', *Asia Pacific Journal of Clinical Nutrition* (2018), vol 27(3):655–661.
- 3 X. Lin *et al.*, 'Dietary glycemic load and metabolic status in newly diagnosed type 2 diabetes in southeastern China', *Asia Pacific Journal of Clinical Nutrition* (2018), vol 27(2):375–382.
- 4 A. Cornejo-Monthedoro *et al.*, 'Association between dietary glycemic load and metabolic syndrome in obese children and adolescents', *Archivos argentinos de pediatría Sociedad Argentina de Pediatría* (2017), vol 115(4):323–330.
- 5 M. Juanola-Falgarona *et al.*, 'Dietary glycemic index and glycemic load are positively associated with risk of developing metabolic syndrome in middle-aged and elderly adults', *Journal of the American Geriatrics Society* (2015), vol 63(10):1991–2000.
- 6 J. Salmerón *et al.*, 'Dietary fiber, glycemic load, and risk of NIDDM in men', *Diabetes Care* (1997), vol 20(4):45–50.
- 7 J. Salmerón *et al.*, 'Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women', *Journal of the American Medical Association* (1997), vol 277(6):472–427.
- 8 L. Bozzetto *et al.*, 'Glycaemic load versus carbohydrate counting for insulin bolus calculation in patients with type 1 diabetes on insulin pump', *Acta Diabetologica* (2015), vol 52(5):865–871.
- 9 M. Pereira *et al.*, 'Effects of a low-glycemic load diet on resting energy expenditure and heart disease risk factors during weight loss', *Journal of the American Medical Association* (2004), vol 292(20):2482–2490.
- 10 S. LaHaye *et al.*, 'Comparison between a low glycemic load diet and a Canada Food Guide diet in cardiac rehabilitation patients in Ontario', *Canadian Journal of Cardiology* (2005), vol 21(6):489–494.
- 11 C. Ebbeling *et al.*, 'A reduced-glycemic load diet in the treatment of adolescent obesity', *Archives of Pediatric and Adolescent Medicine* (2003), vol 157(8):773–779.
- 12 T. Halton *et al.*, 'Low-carbohydrate-diet score and risk of type 2 diabetes in women', *American Journal of Clinical Nutrition* (2008), vol 87(2):339–346
- 13 J. Dong *et al.*, 'Dietary glycaemic index and glycaemic load in relation to the risk of type 2 diabetes: a meta-analysis of prospective cohort studies', *British Journal of Nutrition* (2011), vol 106(11):1649–1654.

- 14 S.N. Bhupathiraju *et al.*, 'Glycemic index, glycemic load, and risk of type 2 diabetes: results from 3 large US cohorts and an updated meta-analysis', *American Journal of Clinical Nutrition*, vol 100(1):218–232.
- 15 R. Villegas *et al.*, 'Prospective study of dietary carbohydrates, glycemic index, glycemic load, and incidence of type 2 diabetes mellitus in middle-aged Chinese women', *Archives of Internal Medicine* (2007), vol 167(21):2310–2316.
- 16 M. Slabber *et al.*, 'Effects of a low-insulin-response, energy-restricted diet on weight loss and plasma insulin concentrations in hyperinsulinemic obese females', *American Journal of Clinical Nutrition* (1994), vol 60(1):48–53.
- 17 D. Thomas *et al.*, 'Glycemic index or low glycemic load diets for overweight and obesity', *Cochrane Database of Systematic Reviews* (2007), vol 18(3):CD0055105.
- 18 C. Ebbeling *et al.*, 'A reduced-glycemic load diet in the treatment of adolescent obesity', *Archives of Pediatric and Adolescent Medicine* (2003), vol 157(8):773–779.
- 19 S.A. LaHaye *et al.*, 'Comparison between a low glycemic load diet and a Canada Food Guide diet in cardiac rehabilitation patients in Ontario', *Canadian Journal of Cardiology* (2005), vol 21(6):489–494.
- 20 P. Holford *et al.*, 'The effects of a low glycemic load diet on weight loss and key health risk indicators', *Journal of Orthomolecular Medicine* (2006), vol 21(2):71–77.
- 21 D. Pawlak *et al.*, 'Effects of dietary glycaemic index on adiposity, glucose homoeostasis, and plasma lipids in animals', *Lancet* (2004), vol 364(9436):778–785.
- 22 J. Marti *et al.*, 'Effect of the glycemic index of the diet on weight loss, modulation of satiety, inflammation, and other metabolic risk factors: a randomized controlled trial', *American Journal of Clinical Nutrition* (2014), vol 100(1):27–35.
- 23 I. Shai *et al.*, 'Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet', *New England Journal of Medicine* (2008), vol 359(3):229–241.
- 24 M. Pereira *et al.*, 'Effects of a low-glycemic load diet on resting energy expenditure and heart disease risk factors during weight loss', *Journal of the American Medical Association* (2004), vol 292(20):2482–2490.
- 25 C. Ebbeling *et al.*, 'Effects of dietary composition on energy expenditure during weight-loss maintenance', *Journal of the American Medical Association* (2012), vol 307(24):2627–2634.
- 26 C. Ebbeling *et al.*, 'Effects of a low carbohydrate diet on energy expenditure during weight loss maintenance: randomized trial', *British Medical Journal*, 2018 Nov 14;363:k4583.

- 27 M. Juanola-Falgarona *et al.*, 'Effect of the glycemic index of the diet on weight loss, modulation of satiety, inflammation, and other metabolic risk factors: a randomized controlled trial', *American Journal of Clinical Nutrition* (2014), vol 100(1):27–35.
- 28 M. Pereira *et al.*, 'Effects of a low-glycemic load diet on resting energy expenditure and heart disease risk factors during weight loss', *Journal of the American Medical Association* (2004), vol 292(20):2482–2490;
see also D. Ludwig, 'The glycemic index: physiological mechanisms relating to obesity, diabetes, and cardiovascular disease', *Journal of the American Medical Association* (2002), vol 287(18):2414–2423.
- 29 Report from the Society of Endocrinology, <http://www.glucagon.com/pdfs/Gagnon-Diabetes-2014-db14-1176.pdf>.
- 30 R.E. Parvaresh *et al.*, 'A high carbohydrate, but not fat or protein meal attenuates postprandial ghrelin, PYY and GLP-1 responses in Chinese men', *PLoS One* (2018), vol 13(1):e0191609.
- 31 T.L. Halton *et al.*, 'Low-carbohydrate-diet score and the risk of coronary heart disease in women', *New England Journal of Medicine* (2006), vol 355:1991–2002.
- 32 S. Liu *et al.*, 'A prospective study of dietary glycemic load, carbohydrate intake and risk of coronary heart disease in US women', *American Journal of Clinical Nutrition* (2000), vol 6:1455–1461.
- 33 M. Pereira *et al.*, 'Low-glycemic load diet and resting energy expenditure', *Journal of the American Medical Association* (2004), vol 292:2482–2490.
- 34 S.A. LaHaye *et al.* 'Comparison between a low glycemic load diet and a Canada Food Guide diet in cardiac rehabilitation patients in Ontario', *Canadian Journal of Cardiology* (2005), vol 21(6):489–494.
- 35 D. Pawlak *et al.*, 'Effects of dietary glycaemic index on adiposity, glucose homeostasis, and plasma lipids in animals', *Lancet* (2004), vol 364(9436):778–785.
- 36 Y. Ma *et al.*, 'Association between carbohydrate intake and serum lipids', *Journal of the American College of Nutrition* (2006), vol 25(2):155–163.
- 37 R. Estruch *et al.*, 'Effects of a Mediterranean-style diet on cardiovascular risk factors: a randomized trial', *Annals of Internal Medicine* (2006), vol 145(1):1–11.
- 38 S.W. Rizkalla *et al.*, 'Effects of dietary glycaemic index on adiposity, glucose homeostasis, and plasma lipids in animals', *Diabetes Care* (2004), vol 27(8):1866–1872.

- 39 G.D. Brinckworth *et al.*, 'Long-term effects of a very low-carbohydrate diet and a low-fat diet on mood and cognitive function', *Archives of Internal Medicine* (2009), vol 169(20):1873–1880.
- 40 D. Yu *et al.*, 'Dietary glycemic index, glycemic load, and refined carbohydrates are associated with risk of stroke: a prospective cohort study in urban Chinese women', *American Journal of Clinical Nutrition* (2016), vol 104(5):1345–1351.
- 41 S. Sieri *et al.*, 'Dietary glycemic load and index and risk of coronary heart disease in a large Italian cohort: the EPICOR study', *Archives of Internal Medicine* (2010), vol 170(7):640–647.
- 42 K.N. Burger *et al.*, 'Dietary glycemic load and glycemic index and risk of coronary heart disease and stroke in Dutch men and women: the EPIC-MORGEN Study', *PLoS One* (2011), vol 6(10):e25955.
- 43 Y. Choi *et al.*, 'Relation of dietary glycemic index and glycemic load to coronary artery calcium in asymptomatic Korean adults', *American Journal of Cardiology* (2015), vol 116(4):520–526.
- 44 D. Thomas *et al.*, 'Low glycaemic index or low glycaemic load diets for overweight and obese', *Cochrane Database Systematic reviews* (2007), vol 3:CD005105.
- 45 'RCGP elearning module: Type 2 diabetes and the low GI diet' (GP access only).
- 46 C. Evans *et al.*, 'Glycemic index, glycemic load and blood pressure: a systematic review and meta-analysis of randomised controlled trials', *American Journal of Clinical Nutrition* (2017), vol 105(5):1176–1190.
- 47 World Cancer Research Fund, *Body Fatness and Weight Gain and the Risk of Cancer*, <https://www.wcrf.org/dietandcancer/exposures/body-fatness>.
- 48 See <http://www.scmp.com/news/hong-kong/community/article/2150467/new-chinese-university-study-finds-possible-link-between>.
- 49 See <https://www.wcrf.org/sites/default/files/Cancer-Prevention-Recommendations-2018.pdf>
- 50 See <https://www.cancerresearchuk.org/health-professional/cancer-statistics/risk/preventable-cancers>
- 51 W.C. Willett, paper presented at the Symposium on Cancer Prevention, Annual Meeting of the American Association for the Advancement of Science, March 2008.
- 52 J. Ahn *et al.*, 'Adiposity, adult weight change, and postmenopausal breast cancer risk', *Archives of Internal Medicine* (2007), vol 167(19):2091–2102. See also A.H. Eliassen *et al.*,

- ‘Adult weight change and risk of postmenopausal breast cancer’, *Journal of the American Medical Association* (2006), vol 296(2):193–201.
- 53 R. Huxley *et al.*, ‘Type-II diabetes and pancreatic cancer: a meta-analysis of 36 studies’, *British Journal of Cancer* (2005), vol 92(11):2076–2083.
- 54 S.C. Larsson *et al.*, ‘Diabetes mellitus and risk of colorectal cancer: a meta-analysis’, *Journal of the National Cancer Institute* (2005), vol 97(22):1679–1687. See also S.C. Larsson *et al.*, ‘Diabetes mellitus and risk of breast cancer: a meta-analysis’, *International Journal of Cancer* (2007), vol 121(4):856–862.
- 55 S. Sieri *et al.*, ‘Dietary glycemic index and dietary glycemic load and risk for colorectal cancer: results from the EPIC-Italy study’, *International Journal of Cancer* (2015), vol 136(12):2923–2931.
- 56 R.K. Peters *et al.*, ‘Diet and colon cancer in Los Angeles County, California’, *Cancer Causes and Control* (1992), vol 3(5):457–473.
- 57 D. Royall *et al.*, ‘Clinical significance of colonic fermentation’, *American Journal of Gastroenterology* (1990), vol 85(10):1307–1312. See also G. Latella and R. Caprilli, ‘Metabolism of large bowel mucosa in health and disease’, *International Journal of Colorectal Disease* (1991), vol 6(2):127–132; R. Hoverstad, ‘The normal microflora and short-chain fatty acids’, *Proceedings of the Fifth Bengt E. Gustafsson Symposium, Stockholm, 1–4 June 1988*.
- 58 J.M. Yuan *et al.*, ‘Diet and breast cancer in Shanghai and Tianjin, China’, *British Journal of Cancer* (1995), vol 71(6):1353–1358.
- 59 E. De Stefani *et al.*, ‘Dietary fiber and risk of breast cancer: a case-control study in Uruguay’, *Nutrition and Cancer* (1997), vol. 28(1):14–19.
- 60 E.F. Taylor *et al.*, ‘Meat consumption and risk of breast cancer in the UK Women’s Cohort Study’, *British Journal of Cancer* (2007), vol 96(7):1139–1146.
- 61 A.W. Barclay *et al.*, ‘Glycemic index, glycemic load, and chronic disease risk: a meta-analysis of observational studies’, *American Journal of Clinical Nutrition* (2008), vol 87(3):627–637.
- 62 A. Tavani, *et al.*, ‘Consumption of sweet foods and breast cancer risk in Italy’, *Annals of Oncology* (2006), vol 17(2):341–345.
- 63 C.A. Krone and J.T. Ely, ‘Controlling hyperglycemia as an adjunct to cancer therapy’, *Integrative Cancer Therapies* (2005), vol 4(1):25–31.
- 64 M.J. Gunter *et al.*, ‘Insulin, insulin-like growth factor-I, and risk of breast cancer in postmenopausal women’, *Journal of the National Cancer Institute* (2009), vol 101(1):48–60.

- 65 G.C. Kabat, *et al.*, 'Repeated measures of serum glucose and insulin in relation to postmenopausal breast cancer', *International Journal of Cancer* (2009), vol 125(11):2704–2710.
- 66 E. Smith and Cancer Research UK, 'Sugar and cancer – what you need to know', <http://scienceblog.cancerresearchuk.org/2017/05/15/sugar-and-cancer-what-you-need-to-know/>.
- 67 Founded by Patrick in 2006.
- 68 P.K. Crane *et al.*, 'Glucose levels and risk of dementia', *New England Journal of Medicine* (2013), vol 369(6):540–548.
- 69 J.A. Luchsinger *et al.*, 'Hyperinsulinemia and risk of Alzheimer disease', *Neurology* (2004), vol 63(7):1187–1192.
- 70 A.M. Abbatecola *et al.*, 'Insulin resistance and executive dysfunction in older persons', *Journal of the American Geriatrics Society* (2004), vol 52(10):1713–1718.
- 71 X. Ye *et al.*, 'Habitual sugar intake and cognitive function among middle-aged and older Puerto Ricans without diabetes', *British Journal of Nutrition* (2011), vol. 106(9):1423–1432.
- 72 S. Seetharaman *et al.*, 'Blood glucose, diet-based glycemic load and cognitive aging amongst dementia-free older adults', *Journals of Gerontology Series A: Biological Sciences and Medical Sciences* (2015), vol 70(4):471–479.
- 73 S.E. Power *et al.*, 'Dietary glycaemic load associated with cognitive performance in elderly subjects', *European Journal of Nutrition* (2015), vol 54(4):557–568.
- 74 M.K. Taylor *et al.*, 'A high-glycemic diet is associated with cerebral amyloid burden in cognitively normal older adults', *American Journal of Clinical Nutrition* (2017), vol 106(6):1463–1470.
- 75 M.E. Mortby *et al.*, 'High “normal” blood glucose is associated with decreased brain volume and cognitive performance in the 60s: the PATH through Life Study', *PLoS One* (2013), vol 8:e73697.
- 76 S.E. Lakhan and A. Kirchgessner, 'The emerging role of dietary fructose in obesity and cognitive decline', *Nutrition Journal* (2013), vol 12:114.
- 77 M.E. Orr *et al.*, 'Mammalian target of rapamycin hyperactivity mediates the detrimental effects of a high sucrose diet on Alzheimer's disease pathology', *Neurobiology of Aging* (2014), vol 35(6):1233–1242.
- 78 S.C. Yates *et al.*, 'Dysfunction of the mTOR pathway is a risk factor for Alzheimer's disease', *Acta Neuropathologica Communications* (2013), vol 1:3.

- 79 S. Moore, *et al.*, 'Confectionary consumption in childhood and adult violence', *British Journal of Psychiatry* (2009), vol 195(4):366–367.
- 80 M. Virkunen, 'Reactive hypoglycemic tendency among habitually violent offenders', *Nutrition Reviews* (1986), vol 44(S):94–103.
- 81 S.J. Schoenthaler, 'Alabama diet-behavior program: an empirical evaluation at the Coosa Valley Regional Detention Center', *International Journal of Biosocial Research* (1983), vol 5(2):888–898.
- 82 N. Morris and P. Sarll, 'Drinking glucose improves listening span in students who miss breakfast', *Education Research* (2001), vol 43(2):201–207.
- 83 J. Murphy *et al.*, 'The relationship of school breakfast to psychosocial and academic functioning: cross-sectional and longitudinal observations in an inner-city school sample', *Archives of Pediatrics and Adolescent Medicine* (1998), vol 152(9):899–907.
- 84 *Science News* (1987), vol 132:11.
- 85 M. Haapalahti *et al.*, 'Food habits in 10–11-year-old children with functional gastrointestinal disorders', *European Journal of Clinical Nutrition* (2004), vol 58(7):1016–1021.
- 86 P. Hardman *et al.*, 'The effects of diet and sublingual provocative testing on eye movements with dyslexic individuals', *Journal of the American Optometric Association*, vol 60(1):10–13.

Part Three

- 1 L. Riske *et al.*, 'Lactate in the brain: an update on its relevance to brain energy, neurons, glia and panic disorder', *Therapeutic Advances in Psychopharmacology* (2016), vol 7(2):85–89.
- 2 From a conversation on mTOR with physician-researcher Peter Attia on his website: <https://peterattiamd.com/davidsabatini/>
- 3 B. Vergès, 'mTOR inhibitors and diabetes', *Diabetes Research and Clinical Practice* (2015), vol 110(2):101–108.
- 4 P.M. Johnson and P.J. Kenny, 'Dopamine D2 receptors in addiction-like reward dysfunction and compulsive eating in obese rats', *Nature Neuroscience* (2010), vol 13(5)–635–641.
- 5 E.M. Ostman *et al.*, 'Inconsistency between glycemic and insulinemic responses to regular and fermented milk products', *American Journal of Clinical Nutrition* (2001), vol 74(1)–96–100.

- 6 B. Jarmołowska *et al.*, 'Changes of beta-casomorphin content in human milk during lactation', *Peptides* (2007), vol 28(10):1982–1986.
- 7 D.A. Fields and E.W. Demerath, 'Relationship of insulin, glucose, leptin, IL-6 and TNF- α in human breast milk with infant growth and body composition', *Pediatric Obesity* (2012), vol 7(2):304–312.
- 8 B. Melnik, 'Milk intake and risk of mortality and fractures in women and men: cohort studies', *British Medical Journal* (2014), vol 349:g6015.
- 9 C.-H. Hsieh *et al.*, 'Functional impairment in miro degradation and mitophagy is a shared feature in familial and sporadic Parkinson's disease', *Cell Stem Cell* (2016), vol 19:709–724.
- 10 E. White, 'Autophagy, metabolism, and cancer', *Clinical Cancer Research* (2015), vol 21(22):5037–5046.
- 11 N.S. Katheder *et al.*, 'Microenvironmental autophagy promotes tumour growth', *Nature* (2017), vol 541:417–420.
- 12 L.S. Whyte, 'Endo-lysosomal and autophagic dysfunction: a driving factor in Alzheimer's disease?', *Journal of Neurochemistry* (2017), vol 140(5):703–717.
- 13 V. Lahiri, 'Eat yourself to live: autophagy's role in health and disease', *Scientist*, 1 May 2018.
- 14 C. Tomas *et al.*, 'Cellular bioenergetics is impaired in patients with chronic fatigue syndrome', *PLoS One* (2017), vol 12(10):e0186802.
- 15 C. Craig, 'Mitoprotective dietary approaches for myalgic encephalomyelitis/chronic fatigue syndrome: caloric restriction, fasting, and ketogenic diets', *Medical Hypotheses* (2015), vol 85(5):690–693.
- 16 S. Carter, 'Effect of intermittent compared with continuous energy restricted diet on glycemic control in patients with type 2 diabetes', *JAMA Network* (2018), vol 1(3):e180756.
- 17 K.A. Varady, 'Intermittent versus daily calorie restriction: which diet regimen is more effective for weight loss?', *Obesity Reviews*, 17 March 2011.
- 18 E.F. Sutton, 'Early time-restricted feeding improves insulin sensitivity, blood pressure, and oxidative stress even without weight loss in men with prediabetes', *Cell Metabolism* (2018), vol 27(6):1212–1221.
- 19 'Fasting regenerates you pancreas',
https://articles.mercola.com/sites/articles/archive/2018/03/19/fasting-regenerates-pancreas.aspx#_edn5.
- 20 M. Wei *et al.*, 'Fasting-mimicking diet and markers/risk factors for aging, diabetes, cancer and cardiovascular disease', *Science Translational Medicine* (2017), vol 9 (377):pii:eaai8700.

- 21 C.W. Cheng and V.Villani, 'Fasting-mimicking diet promotes NGN3-driven β -cell regeneration to reverse diabetes', *Cell* (2017), vol 168(5):775–788.
- 22 R. Kurzweil and T. Grossman, *Transcend: Nine Steps to Living Well Forever*, New York: Rodale, 2010.
- 23 <https://sputniknews.com/analysis/201810041068574735-antidepressants-warning-explained/>
- 24 P. Holford, *How to Quit without Feeling S**t*, London: Piatkus, 2008.
- 25 P. Holford, *How to Quit without Feeling S**t*, London: Piatkus, 2008.
- 26 B. Vergès, 'mTOR inhibitors and diabetes', *Diabetes Research and Clinical Practice* (2015), vol 110(2):101–108.
- 27 P.M. Johnson and P.J. Kenny, 'Dopamine D2 receptors in addiction-like reward dysfunction and compulsive eating in obese rats', *Nature Neuroscience* (2010), vol 13(5):635–641.
- 28 P.J. Kenny, *Is Obesity an Addiction?*, <https://www.scientificamerican.com/article/is-obesity-an-addiction/>.
- 29 P. Kenny, 'Reward mechanisms in obesity: new insights and future directions', *Neuron* (2011), vol 69(4):664–679.
- 30 N.S. Katheder *et al.*, 'Microenvironmental autophagy promotes tumour growth', *Nature* (2017), vol 541:417–420.
- 31 N.M. Avena and M.S. Gold, 'Food addiction – sugars, fats and hedonic eating', *Addiction* (2011), vol 106(7):1214–1215.
- 32 B. Lennerz *et al.*, 'Effects of dietary glycemic index on brain regions related to reward and craving in men', *American Journal of Clinical Nutrition* (2013), vol 98(3):641–647.
- 33 See <https://www.patrickholford.com/advice/chromium-the-evidence>.
- 34 S. Rowe *et al.*, 'Is cocaine desire reduced by N-acetyl cysteine?', *American Journal of Psychiatry* (2007), vol 164:1115–1117.
- 35 J. Grant *et al.*, 'N-acetyl cysteine, a glutamate-modulating agent, in the treatment of pathological gambling: a pilot study', *Biological Psychiatry* (2007), vol 62(6):652–657.
- 36 K. Blum *et al.*, 'Neuronutrient effects on weight loss in carbohydrate bingers: an open clinical trial', *Current Therapeutic Research* (1990), vol 48:217–233.
- 37 K.A. Smith *et al.*, 'Relapse of depression after rapid depletion of tryptophan', *Lancet* (1997), vol 349(9056):915–919.
- 38 E. Turner *et al.*, 'Serotonin a la carte: supplementation with the serotonin precursor 5-hydroxytryptophan', *Pharmacology and Therapeutics* (2006), vol 109(3):325–338; see also

- P. Jangid *et al.*, 'Comparative study of efficacy of l-5-hydroxytryptophan and fluoxetine in patients presenting with first depressive episode', *Asian Journal of Psychiatry* (2013), vol 6(1):29–34.
- 39 P. Gøtzsche, 'Antidepressants and murder: case not closed', *British Medical Journal* (2017), vol 358:j3697, <https://www.bmj.com/content/358/bmj.j3697/rr-4>.
- 40 'A prescription for murder', *Panorama*, BBC1, first broadcast 26 July 2017.
- 41 Center on the Developing Child, *Five Numbers to Remember about Early Childhood Development*, <http://www.developingchild.harvard.edu>.
- 42 K. Douglas, 'Asia's mysterious role in the early origins of humanity', <https://www.newscientist.com/article/mg23931850-200-asias-mysterious-role-in-the-early-origins-of-humanity/>.
- 43 B. Bratsberg and O. Rogeberg, 'Flynn effect and its reversal are both environmentally caused', *Proceedings of the National Academy of Sciences* (2018), <http://www.pnas.org/content/early/2018/06/05/1718793115>.
- 44 K. Hardy *et al.*, 'The importance of dietary carbohydrate in human evolution', *Quarterly Review of Biology* (2015), vol 90(3):251–268.
- 45 I. Crow, *The Quest for Food*, Stroud: Tempus, 2000.
- 46 S. Jianqin *et al.*, 'Effects of milk containing only A2 beta casein versus milk containing both A1 and A2 beta casein proteins on gastrointestinal physiology, symptoms of discomfort, and cognitive behavior of people with self-reported intolerance to traditional cows' milk', *Nutrition Journal* (2016), vol 35:45.
- 47 See <https://www.patrickholford.com/advice/kamut-khorasan-wheat-supergrain>.
- 48 J.R. Hibbeln *et al.*, 'Healthy intakes of n3 and n6 fatty acids: estimations considering worldwide diversity' *Am J Clin Nutr* 2006; 83(suppl):1483S–93S.
- 49 J. Hollon *et al.*, 'Effect of gliadin on permeability of intestinal biopsy explants from celiac disease patients and patients with non-celiac gluten sensitivity', *Nutrients* (2015), vol 7(3):1565–1576; see also J. Biesiekierski *et al.*, 'Gluten causes gastrointestinal symptoms in subjects without celiac disease: a double-blind randomised placebo-controlled trial', *American Journal of Gastroenterology*, vol 106(3):508–514.
- 50 F. Sofi *et al.*, 'Effect of *Triticum turgidum* subsp. *turanicum* wheat on irritable bowel syndrome: a double-blinded randomised dietary intervention trial', *British Journal of Nutrition* (2014), vol 111(11):1992–1999.

51 J.R. Hibbeln *et al.*, ‘Maternal seafood consumption in pregnancy and neurodevelopmental outcomes in childhood (ALSPAC study): an observational cohort study’, *Lancet* (2007), vol 369(9561):578–585.

52 S. Vaz Jdos *et al.*, ‘Dietary patterns, n-3 fatty acids intake from seafood and high levels of anxiety symptoms during pregnancy: findings from the Avon Longitudinal Study of Parents and Children’, *PLoS One* (2013), vol 8(7):e67671.

53 Y. Wei *et al.*, ‘Paternal induced transgenerational inheritance of susceptibility to diabetes in mammals’, *Proceedings of the National Academy of Sciences of the USA* (2014), vol 111(5):1873–1878.

54 K. Staples and P. Holford, *Burn Fat Fast: The Alternate-Day Low-GL Diet Plan*, London: Piatkus, 2013.

Part Four

1 K. Michaelis, ‘Your extra-virgin olive oil is fake’, <https://www.foodrenegade.com/your-extravirgin-olive-oil-fake/>.

2 A Hernaez *et al.*, ‘Olive oil polyphenols decrease LDL concentrations and LDL atherogenicity in men in a randomized controlled trial’, *Journal of Nutrition* (2015), vol 145(8):1692–1697.

3 M. Scotece *et al.*, ‘New drugs from ancient natural foods: oleocanthal, the natural occurring spicy compound of olive oil: a brief history’, *Drug Discovery Today* (2015), vol 20(4):406–410.

4 L. Bozzetto *et al.*, ‘Extra-virgin olive oil reduces glycemic response to a high-glycemic index meal in patients with type 1 diabetes: a randomized controlled trial’, *Diabetes Care* (2016), vol 39(4):518–524.

5 Z. Gao *et al.*, ‘Butyrate improves insulin sensitivity and increases energy expenditure in mice’, *Diabetes* (2009), vol 58(7):1509–1517.

6 M. French *et al.*, ‘Cholesterolaemic effect of palmitic acid in relation to other dietary fatty acids’, *Asia Pacific Journal of Clinical Nutrition* (2002), vol 11(Suppl):S401–S407.

7 ‘Is coconut oil good or bad for your health?’, *Trust Me, I’m a Doctor*, BBC, <http://www.bbc.co.uk/programmes/articles/1pk5mWmJXvTQLZYWpN431mW/is-coconut-oil-good-or-bad-for-your-cholesterol>; see also: K.T. Khaw *et al.*, ‘Randomised trial of coconut oil, olive oil or butter on blood lipids and other cardiovascular risk factors in healthy men and women’, *British Medical Journal Open* (2018), vol 8:e020167.

- 8 L. Boateng *et al.*, 'Coconut oil and palm oil's role in nutrition, health and national development: a review', *Ghana Medical Journal* (2016), vol 50(3):189–196.
- 9 K. Augustin *et al.*, 'Mechanisms of action for the medium-chain triglyceride ketogenic diet in neurological and metabolic disorders', *Lancet Neurology* (2018), vol 17(1):84–93.
- 10 L. Schwingshackl *et al.*, 'Food groups and risk of all-cause mortality: a systematic review and meta-analysis of prospective studies', *American Journal of Clinical Nutrition* (2017), vol 105(6):1462–1473; see also P. Holford, '100% Health Survey 2010', <https://www.holfordirect.com/100-health-survey-patrick-holford.html>.
- 11 B.J. Stubbs *et al.*, 'On the metabolism of exogenous ketones in humans', *Frontiers in Physiology* (2017), vol 8: 848.
- 12 C. Vandenberghe *et al.*, 'Tricaprylin alone increases plasma ketone response more than coconut oil or other medium-chain triglycerides: an acute crossover study in healthy adults', *Current Developments in Nutrition* (2017), vol 1(4):e000257.
- 13 S. Kesl *et al.*, 'Effect of sustaining dietary ketosis on the hippocampal and serum metabolome of Sprague-Dawley rats', *FASEB Journal* (2015), vol 29:1.
- 14 D. Aune *et al.*, 'Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies', *BMC Medicine* (2016), vol 14(1):207.
- 15 A. Haraldsdottir *et al.*, 'Early life residence, fish consumption, and risk of breast cancer', *Cancer Epidemiology, Biomarkers and Prevention*, vol 26(3):346–354.
- 16 J.J. Guzmán-Rodríguez *et al.*, 'The defensin from avocado (*Persea americana* var. *drymifolia*) PaDef induces apoptosis in the human breast cancer cell line MCF-7', *Biomedicine and Pharmacotherapy*, vol 82:620–627.
- 17 L. Zhao *et al.*, 'Dietary, circulating beta-carotene and risk of all-cause mortality: a meta-analysis from prospective studies', *Scientific Reports* (2016), vol 6:26983.
- 18 O. Oyebode *et al.*, 'Fruit and vegetable consumption and all-cause, cancer and CVD mortality: analysis of Health Survey for England data', *Journal of Epidemiology and Community Health* (2014), vol 68:856–862.
- 19 A. Vogiatzoglou *et al.*, 'Dietary sources of vitamin B-12 and their association with plasma vitamin B-12 concentrations in the general population: the Hordaland Homocysteine Study', *American Journal of Clinical Nutrition* (2009), vol 89(4):1078–1087.
- 20 K.T. Khaw *et al.*, 'Combined impact of health behaviours and mortality in men and women: the EPIC–Norfolk prospective population study', *PLoS Medicine* (2008), vol 5(1):e12.

- 21 C. Anderson *et al.*, 'Dietary glycemic index and glycemic load are positively associated with oxidative stress among premenopausal women', *Journal of Nutrition* (2018), vol 148(1):125–130.
- 22 The 2003 UK National Diet and Nutrition Survey.
- 23 M.K. Hellerstein *et al.*, 'Regulation of hepatic de novo lipogenesis in humans', *Nutrition* (1996), vol 16:523–557.
- 24 E.J. Parks *et al.*, 'Dietary sugars stimulate fatty acid synthesis in adults', *Journal of Nutrition* (2008), vol 138(6):1039–1046.
- 25 J.S. Lim *et al.*, 'The role of fructose in the pathogenesis of NAFLD and the metabolic syndrome', *Nature Reviews: Gastroenterology and Hepatology* (2010), vol 7(5):251–264.
- 26 A.J. Stull *et al.*, 'Bioactives in blueberries improve insulin sensitivity in obese, insulin-resistant men and women', *Journal of Nutrition* (2010), vol 140(10):1764–1768.
- 27 P. Milgrom *et al.*, 'Xylitol pediatric topical oral syrup to prevent dental caries: a double blind, randomized clinical trial of efficacy', *Archives of Pediatric and Adolescent Medicine* (2009), vol 163(7):601–607.
- 28 T. Xia and Q. Wang, 'Hypoglycaemic role of *Cucurbita ficifolia* (*Cucurbitaceae*) fruit extract in streptozotocin-induced diabetic rats', *Journal of the Science of Food and Agriculture* (2007), vol 87(9):1753–1757.
- 29 T.M. Scott *et al.*, 'Avocado consumption increases macular pigment density in older adults: a randomized, controlled trial', *Nutrients* (2017), vol 9(9):e919.
- 30 R.E. Kopec *et al.*, 'Avocado consumption enhances human postprandial provitamin A absorption and conversion from a novel high- β -carotene tomato sauce and from carrots', *Journal of Nutrition* (2014), vol 144(8):1158–1166.
- 31 L. Schwingshackl and G. Hoffmann, 'Comparison of high vs. normal/low protein diets on renal function in subjects without chronic kidney disease: a systematic review and meta-analysis', *PLoS One* (2014), vol 9(5):e97656.
- 32 S.M. Solon-Biet *et al.*, 'The ratio of micronutrients, not caloric intake, dictates cardiometabolic health, aging, and longevity in ad libitum-fed mice', *Cell Metabolism* (2014), vol 19(3):418–430.
- 33 L.D. Guardia *et al.*, 'Insulin sensitivity and glucose homeostasis can be influenced by metabolic acid load', *Nutrients* (2018), vol 10(5):e618.
- 34 V.S. Malik *et al.*, 'Dietary protein intake and risk of type 2 diabetes in US men and women', *American Journal of Epidemiology* (2016), vol 183(8):715–728.

- 35 G.D. Bringworth *et al.*, 'Long-term effects of a very low-carbohydrate diet and a low-fat diet on mood and cognitive function', *Archives of Internal Medicine* (2009), vol 169(20):1873–1880.
- 36 C.E. Bailey *et al.*, 'Increasing disparities in the age-related incidences of colon and rectal cancers in the United States, 1975–2010', *JAMA Surgery* (2015), vol 150(1):17–22.
- 37 M.S. Donaldson, 'Nutrition and cancer: a review of the evidence for an anti-cancer diet', *Nutrition Journal* (2004), vol 3:19.
- 38 Z. Abid, *et al.*, 'Meat, dairy, and cancer', *American Journal of Clinical Nutrition* (2014), vol 100(S1):S386–S393.
- 39 World Cancer Research Fund, 'Meat, fish and dairy products and the risk of cancer', <https://www.wcrf.org/sites/default/files/Meat-Fish-and-Dairy-products.pdf>.
- 40 L. Schwingshackl *et al.*, 'Food groups and risk of colorectal cancer', *International Journal Cancer* (2018), vol 142(9):1748–1758.
- 41 P. Holford and C. Trustram-Eve, '100% Health's digestion survey', www.patrickholford.com/digestion.
- 42 S. Reddy *et al.*, 'Faecal pH, bile acid and sterol concentrations in premenopausal Indian and white vegetarian compared with white omnivores', *British Journal of Nutrition* (1998), vol 79:495–500.
- 43 R.J. Hambly *et al.*, 'Effects of high- and low-risk diets on gut microflora-associated biomarkers of colon cancer in human flora associated rats', *Nutrition and Cancer* (1997), vol 27(3):250–255.
- 44 J.M. Chan, *et al.*, 'Plasma insulin-like growth factor-I and prostate cancer risk: a prospective study', *Science* (1998), vol 279(5350):563–566.
- 45 C.H. Kroenke *et al.*, 'High- and low-fat dairy intake, recurrence, and mortality after breast cancer diagnosis', *Journal of the National Cancer Institute* (2013), vol 105(9):616–623.
- 46 C. Hoppe *et al.*, 'Differential effects of casein versus whey on fasting plasma levels of insulin, IGF-1 and IGF-1/IGFBP-3: results from a randomized 7-day supplementation study in prepubertal boys', *European Journal of Clinical Nutrition* (2009), vol 63(9):1076–1083.
- 47 J.L. Stanford *et al.*, *Prostate cancer trends 1973–1995*, Bethesda, MD: National Cancer Institute, 1999.
- 48 J.M. Chan *et al.*, 'Dairy products, calcium, and prostate cancer risk in the Physicians' Health Study', *American Journal of Clinical Nutrition* (2001), vol 74(4):549–554. See also: J.L. Stanford *et al.*, *Prostate cancer trends 1973–1995*, Bethesda, MD: National Cancer Institute, 1999; P.V. Krogh, 'Meat, eggs, dairy products, and risk of breast cancer in the

European Prospective Investigation into Cancer and Nutrition (EPIC) cohort’, *American Journal of Clinical Nutrition* (2009), vol 90(3):602–612; D. LeRoith and C.T. Roberts, Jr., ‘The insulin-like growth factor system and cancer’, *Cancer Letters* (2003), vol 195(2):127–137; S.E. Hankinson *et al.*, ‘Circulating concentrations of insulin-like growth factor-I and risk of breast cancer’, *Lancet* (1998), vol 351(9113):1393–1396; M.H. Wu *et al.*, ‘Relationships between critical period of estrogen exposure and circulating levels of insulin-like growth factor-I (IGF-I) in breast cancer: evidence from a case-control study’, *International Journal of Cancer* (2010), vol 126(2):508–514; J.M. Chan *et al.*, ‘Plasma insulin-like growth factor-I and prostate cancer risk: a prospective study’, *Science* (1998), vol 279(5350):563–566; E. Giovannucci *et al.*, ‘Calcium and fructose intake in relation to risk of prostate cancer’, *Cancer Research* (1998), vol 58(3):442–447.

49 J.C. van der Pols *et al.*, ‘Childhood dairy intake and adult cancer risk: 65-y follow-up of the Boyd Orr cohort’, *American Journal of Clinical Nutrition*, (2007), 86(6):1722–1729.

50 J. Hems, ‘Optimum nutrition for sport’, <https://www.patrickholford.com/advice/what-is-optimum-sports-nutrition>.

51 A. Bandegan *et al.*, ‘Indicator amino acid-derived estimate of dietary protein requirement for male bodybuilders on a nontraining day is several-fold greater than the current recommended dietary allowance’, *Journal of Nutrition* (2017), vol 147(5):850–857.

52 J.R. Ruiz *et al.*, ‘Muscular strength and adiposity as predictors of adulthood cancer mortality in men’, *Cancer Epidemiology, Biomarkers and Prevention* (2009), vol 18(5):1468–1476.

53 K.M. Winters-Stone *et al.*, ‘The effects of resistance exercise on biomarkers of breast cancer prognosis: a pooled analysis of three randomized trials’, *Cancer Epidemiology, Biomarkers and Prevention* (2017), vol 27(2):146–153.

54 C. Hopkins *et al.*, *Sleep* (2017), vol. 40(S1), <http://www.sleepmeeting.org/docs/default-source/attendee-documents/abstractbook2017.pdf?sfvrsn=2>

55 S. Wehrens *et al.*, ‘meal timing regulates the human circadian system’ *Current Biology* (2017), vol 27(12):1768–1775. See also: L. Ruddick-Collins *et al.*, ‘The Big Breakfast Study: chrono-nutrition influence on energy expenditure and bodyweight’, *Nutrition Bulletin* (2018), vol 43(2):174–183; C. Hopkins *et al.*, ‘Delayed eating adversely impacts weight and metabolism compared with daytime eating in normal weight adults’, *Sleep* (2017), vol 40(S1): 24.

- 56 J. Warren, *et al.*, 'Low glycemic index breakfasts and reduced food intake in preadolescent children', *Pediatrics* (2003), vol 112(5):e414.
- 57 D. Ludwig, 'Dietary glycemic index and regulation of body weight', *Lipids* (2003), vol 38(2):117–121.
- 58 L. Kucek *et al.*, 'Grounded guide to gluten: how modern genotypes and processing impact wheat sensitivity', *Comprehensive Reviews in Food Science and Food Safety* (2015), vol 14:285–302.
- 59 K. Heaton *et al.*, 'Particle size of wheat, maize and oat test meals: effects on plasma glucose and insulin responses and on the rate of starch digestion in vitro', *American Journal of Clinical Nutrition* (1988), vol 47:675–682.
- 60 E. Cheraskin, 'The breakfast/lunch/dinner ritual', *Journal of Orthomolecular Medicine* (1993), vol 8(1):6–10.
- 61 J.T. Braaten *et al.*, 'High beta-glucan oat bran and oat gum reduce postprandial blood glucose and insulin in subjects with and without type 2 diabetes', *Diabetic Medicine* (1994), vol 11(3):312–318.
- 62 L. Chiavaroli *et al.*, 'Effect of pasta in the context of low-glycaemic index dietary patterns on body weight and markers of adiposity: a systematic review and meta-analysis of randomised controlled trials in adults', *British Medical Journal Open* (2018), vol 8(3):e019438.
- 63 J. Uribarri, *et al.*, 'Advanced glycation end products in foods and a practical guide to their reduction in the diet', *Journal of the American Dietetic Association* (2010), vol 110(6):911–916.
- 64 M.S. Bray and M.E. Young, 'Circadian rhythms in the development of obesity: potential role for the circadian clock within the adipocyte', *Obesity Reviews* (2007), vol 8(2):169–181. See also: S. Taheri *et al.*, 'Short sleep duration is associated with reduced leptin, elevated ghrelin, and increased body mass index', *PLoS Medicine* (2004), vol 1(3):e62.
- 65 Y. Lee, K. Park 'Adherence to a Vegetarian Diet and Diabetes Risk: A Systematic Review and Meta-Analysis of Observational Studies' *Nutrients*. 2017 Jun; 9(6): 603.
- 66 R.S. Najjar *et al.*, 'A defined, plant-based diet utilized in an outpatient cardiovascular clinic effectively treats hypercholesterolemia and hypertension and reduces medications', *Clinical Cardiology* (2018), vol 41(3):307–313.
- 67 M. Foster *et al.*, 'Zinc status of vegetarians during pregnancy: a systematic review of observational studies and meta-analysis of zinc intake', *Nutrients* (2015), vol 7(6):4512–4525.

- 68 A.L. Elorinne *et al.*, 'Food and nutrient intake and nutritional status of Finnish vegans and non-vegetarians', *PLoS One* (2016), vol 11(2):e0148235.
- 69 A.A. Welch, 'Dietary intake and status of n-3 polyunsaturated fatty acids in a population of fish-eating and non-fish-eating meat-eaters, vegetarians, and vegans and the product-precursor ratio of α -linolenic acid to long-chain n-3 polyunsaturated fatty acids: results from the EPIC–Norfolk cohort', *American Journal of Clinical Nutrition* (2010), vol 92(5):1040–1051. See also: B. Sarter *et al.*, 'Blood docosahexaenoic acid and eicosapentaenoic acid in vegans: associations with age and gender and effects of an algal-derived omega-3 fatty acid supplement', *Clinical Nutrition* (2015), vol 34(2):212–218.
- 70 A. Welch, 'Dietary intake and status of n-3 polyunsaturated fatty acids in a population of fish-eating and non-fish-eating meat-eaters, vegetarians, and vegans and the precursor-product ratio of α -linolenic acid to long-chain n-3 polyunsaturated fatty acids: results from the EPIC–Norfolk cohort', *American Journal of Clinical Nutrition* (2010), vol 92(5):1040–1051.
- 71 J.C. Craddock *et al.*, 'Algal supplementation of vegetarian eating patterns improves plasma and serum docosahexaenoic acid concentrations and omega-3 indices: a systematic literature review', *Journal of Human Nutrition and Dietetics* (2017), vol 30(6):693–699.
- 72 J. Moore and M. Emmerich, *The Ketogenic Cookbook*, Las Vegas, NV: Victory Belt, 2015.
- 73 E. Cheraskin *et al.*, 'Daily vitamin consumption and fatigability', *Journal of the American Geriatrics Society* (1976), vol 24(3):136–137.
- 74 W. Jubiz and M. Ramirez, 'Effect of vitamin C on the absorption of levothyroxine in patients with hypothyroidism and gastritis', *Journal of Clinical Endocrinology and Metabolism* (2014), vol 99(6):e1031–e1034.
- 75 A. Vogiatzoglou *et al.*, 'Vitamin B12 status and rate of brain volume loss in community-dwelling elderly', *Neurology* (2008), vol 71:826–832.
- 76 E.J. Laird *et al.*, 'Voluntary fortification is ineffective to maintain the vitamin B12 and folate status of older Irish adults: evidence from the Irish Longitudinal Study on Ageing (TILDA)', *British Journal of Nutrition* (2018), vol 120(1):111–120.
- 77 D.J.B. Marks, 'Time to halt the overprescribing of protein pump inhibitors', https://www.pharmaceutical-journal.com/opinion/insight/time-to-halt-the-overprescribing-of-proton-pump-inhibitors/20201548.article?firstPass=false#fn_6.

- 78 J. Rudd, 'People taking heartburn drugs could have higher risk of death, study claims', *Guardian*, 4 July 2017, <https://www.theguardian.com/science/2017/jul/04/people-taking-heartburn-drugs-could-have-higher-risk-of-death-study-claims>.
- 79 S.J Euseen et al 'Oral Cyanocobalamin Supplementation in Older People With Vitamin B12 Deficiency', *Arch Intern Med.*, 2005;165:1167-1172
- 80 D.M. Mock, 'Marginal biotin deficiency is teratogenic in mice and perhaps humans: a review of biotin deficiency during human pregnancy and effects of biotin deficiency on gene expression and enzyme activities in mouse dam and fetus', *Journal of Nutritional Biochemistry* (2005), vol 16(7):435–437.
- 81 D.O. Kennedy *et al.*, 'Vitamins and psychological functioning: a mobile phone assessment of the effects of a B vitamin complex, vitamin C and minerals on cognitive performance and subjective mood and energy', *Human Psychopharmacology: Clinical and Experimental* (2011), vol 26 (4–5):338–347.
- 82 P. Langsjoen *et al.*, 'Treatment of statin adverse effects with supplemental coenzyme Q10 and statin drug discontinuation', *Biofactors* (2005), vol 25(1–4):147–152.
- 83 K. Mizunoe *et al.*, 'Antifatigue effects of coenzyme Q10 during physical fatigue', *Nutrition* (2008), vol 24(4):293–299.
- 84 K. Jones *et al.*, 'Coenzyme Q-10 and cardiovascular health', *Alternative Therapies in Health and Medicine* (2004), vol 10(1):22–30. See also: M. Dhanasekaran and J. Ren, 'The emerging role of coenzyme Q-10 in aging, neurodegeneration, cardiovascular disease, cancer and diabetes mellitus', *Current Neurovascular Research* (2005), vol 2(5):447–459.
- 85 M. Fukuda *et al.*, 'Carnitine deficiency: risk factors and incidence in children with epilepsy', *Brain Development* (2015), vol 37(8):790–796.
- 86 J.P. Karl *et al.*, 'Military training elicits marked increases in plasma metabolomic signatures of energy metabolism, lipolysis, fatty acid oxidation, and ketogenesis', *Physiological Reports* (2017), vol 5(17):e13407.
- 87 M. Pooyandjoo, 'The effect of (L-) carnitine on weight loss in adults: a systematic review and meta-analysis of randomized controlled trials', *Obes Rev.* 2016 Oct;17(10):970–6; see also M. Samimi *et al.*, 'Oral carnitine supplementation reduces body weight and insulin resistance in women with polycystic ovary syndrome: a randomized, double-blind, placebo-controlled trial', *Clin Endocrinol (Oxf)*. 2016 Jun;84(6):851–7.
- 88 S.L. Pinkosky *et al.*, 'Targeting ATP-citrate lyase in hyperlipidemia and metabolic disorders', *Trends in Molecular Medicine* (2017), vol 23(11):1047–1063.

- 89 N. Han *et al.*, '(-)-Hydroxycitric acid nourishes protein synthesis via altering metabolic directions of amino acids in male rats', *Phytotherapy Research* (2016), vol 30(8):1316–1329.
- 90 R. Sripradha and S.G. Magadi, 'Efficacy of *garcinia cambogia* on body weight, inflammation and glucose tolerance in high fat fed male wistar rats', *Journal of Clinical and Diagnostic Research* (2015), vol 9(2): BF01–BF04.
- 91 L. Schwartz *et al.*, 'Out of Warburg effect: an effective cancer treatment targeting the tumor specific metabolism and dysregulated pH', *Seminars in Cancer Biology* (2017), vol 43:134–138.
- 92 I. Onakpoya *et al.*, 'The use of *garcinia* Extract (hydroxycitric acid) as a weight loss supplement: a systematic review and meta-analysis of randomised clinical trials', *Journal of Obesity* (2011), vol 2011:e509038.
- 93 H. Preuss *et al.*, 'An overview of the safety and efficacy of a novel, natural hydroxycitric acid extract (HCA-SX) for weight management', *Journal of Medicine* (2004), vol 35(1–6):33–48.
- 94 L.O. Chuah *et al.*, 'In vitro and in vivo toxicity of *garcinia* or hydroxycitric acid: a review', *Evidence-Based Complementary and Alternative Medicine* (2012), vol 2012:e197920.
- 95 S. Davies, 'Zinc, Nutrition & Health', in J. Bland, *1984/5 Yearbook of Nutritional Medicine*, Chicago: Keats, 1985.
- 96 S. Davies *et al.*, 'Age-related decreases in chromium levels in 51,665 hair, sweat and serum samples from 40,872 patients: implications for the prevention of cardiovascular disease and type II diabetes mellitus', *Metabolism* (1997), vol 46(5):1–4.
- 97 Y.L. Chen *et al.*, 'The effect of chromium on inflammatory markers, 1st and 2nd phase insulin secretion in type 2 diabetes', *European Journal of Nutrition* (2014), vol 53(1):127–133. See also: M.T. Drake *et al.*, 'Clinical review: risk factors for low bone mass-related fractures in men: a systematic review and meta-analysis', *Journal of Clinical Endocrinology and Metabolism* (2012), vol. 97(6): 1861–1870.
- 98 S. Anton, 'Effects of chromium picolinate on food intake and satiety', *Diabetes Technology and Therapeutics* (2008), vol 10(5):405–412.
- 99 K.A. Brownley *et al.*, 'Chromium supplementation for menstrual cycle-related mood symptoms', *Journal of Dietary Supplements* (2013), vol 10(4):345–356.
- 100 J.R. Davidson *et al.*, 'Effectiveness of chromium in atypical depression: a placebo-controlled trial', *Biological Psychiatry* (2003), vol 53(3):261–264. See also K.A. Brownley *et*

al., ‘A double-blind, randomized pilot trial of chromium picolinate for binge eating disorder’, *Journal of Psychosomatic Research* (2013), vol 75(1):36–72.

101 N. Cheng *et al.*, ‘Follow-up survey of people in China with type-2 diabetes consuming supplemental chromium’, *Journal of Trace Elements in Experimental Medicine* (1999), vol 12(2):55–60.

102 A.N. Paiva *et al.*, ‘Beneficial effects of oral chromium picolinate supplementation on glycemic control in patients with type 2 diabetes: a randomized clinical study’, *Journal of Trace Elements in Medicine and Biology* (2015), vol 32:66–72.

103 N. Suksomboon *et al.*, ‘Systematic review and meta-analysis of the efficacy and safety of chromium supplementation in diabetes’, *Journal of Clinical Pharmacy and Therapeutics* (2014), vol 39(3):292–306.

104 M.F. McCarty, ‘The therapeutic potential of glucose tolerance factor’, *Medical Hypotheses* (1980), vol 6(11):1177–1189.

105 P. Holford *et al.*, ‘The effects of a low glycemic load diet on weight loss and key health risk indicators’, *Journal of Orthomolecular Medicine* (2006), vol 21(2):71–78.

106 J.J. Meidenbauer *et al.*, ‘The glucose ketone index calculator: a simple tool to monitor therapeutic efficacy for metabolic management of brain cancer’, *Nutrition and Metabolism* (2015), vol 12:12.

107 P. Taboulet *et al.*, ‘Correlation between urine ketones (acetoacetate) and capillary blood ketones (3-beta-hydroxybutyrate) in hyperglycaemic patients’, *Diabetes and Metabolism* (2007), vol 33(2):135–139.

108 T. Bailey *et al.*, ‘The performance and usability of a factory-calibrated flash glucose monitoring system’, *Diabetes Technology and Therapeutics* (2015), vol 17 (11):787–794.

109 A. Basu *et al.*, ‘Time lag of glucose from intravascular to interstitial compartment in humans’, *Diabetes* (2013), vol 62(12):4083–4087.

Part Five

1 C. Vandenberghe *et al.*, ‘Caffeine intake increases plasma ketones: an acute metabolic study in humans’, *Canadian Journal of Physiology and Pharmacology* (2017), vol 95(5):445–458.

2 A. Courchesne-Loyer *et al.*, ‘Stimulation of mild, sustained ketonemia by medium-chain triacylglycerols in healthy humans: estimated potential contribution to brain energy metabolism’, *Nutrition* (2012), vol 29(4):635–640.

- 3 X. Jiang *et al.*, 'Coffee and caffeine intake and incidence of type 2 diabetes mellitus: a meta-analysis of prospective studies', *European Journal of Nutrition* (2014), vol 53(1):25–38.
- 4 X. Shi *et al.*, 'Acute caffeine ingestion reduces insulin sensitivity in healthy subjects: a systematic review and meta-analysis', *Nutrition Journal* (2016), vol 15:103.
- 5 M.S. Beaudoin *et al.*, 'Caffeine ingestion impairs insulin sensitivity in a dose-dependent manner in both men and women', *Applied Physiology, Nutrition, and Metabolism* (2013), vol 38(2):140–147.
- 6 L.L. Moisey *et al.*, 'Caffeinated coffee consumption impairs blood glucose homeostasis in response to high and low glycemic meals in health men', *American Journal of Clinical Nutrition* (2008), vol 87(5):1254–1261.
- 7 M.C. Cornelis *et al.*, 'Coffee, CYP1A2 genotype, and risk of myocardial infarction', *Journal of the American Medical Association* (2006), vol 295(10):1135–1141.
- 8 P. Palatini *et al.*, 'CYP1A2 genotype modifies the association between coffee intake and the risk of hypertension', *Journal of Hypertension* (2009), vol 27(8):1594–1601.
- 9 M.J. Grubben *et al.*, 'Unfiltered coffee increases plasma homocysteine concentrations in healthy volunteers: a randomised trial', *American Journal of Clinical Nutrition* (2000), vol 71(2):480–484. See also: P. Verhoef *et al.*, 'Contribution of caffeine to the homocysteine-raising effect of coffee: a randomised controlled trial', *American Journal of Clinical Nutrition* (2002), vol 76(6):1244–1248.
- 10 J.B. Park, 'Finding potent sirt inhibitor in coffee: isolation, confirmation and synthesis of javamide-II (N-Caffeoyltryptophan) as sirt $\frac{1}{2}$ inhibitor', *PLoS One* (2016), vol 11(3):e0150392.
- 11 K. Liu *et al.*, 'Effect of green tea on glucose control and insulin sensitivity: a meta-analysis of 17 randomised controlled trials', *American Journal of Clinical Nutrition* (2013), vol 98(2):340–348.
- 12 X. Wang *et al.*, 'Effects of green tea or green tea extract on insulin sensitivity and glycaemic control in populations at risk of type 2 diabetes mellitus: a systematic review and meta-analysis of randomised controlled trials', *Journal of Human Nutrition and Dietetics* (2013), vol 27(5):501–502.
- 13 A. Alkerwi *et al.*, 'Daily chocolate consumption is inversely associated with insulin resistance and liver enzymes in the observation of cardiovascular risk factors in Luxembourg study', *British Journal of Nutrition* (2016), vol 115(9):1661–1668.

14 C.E. Marsh *et al.*, 'Consumption of dark chocolate attenuates subsequent food intake compared with milk and white chocolate in postmenopausal women', *Appetite* (2017), vol 116:544–551.

15 H. Sasaki *et al.*, 'Innovative preparation of curcumin for improved oral bioavailability', *Biological and Pharmaceutical Bulletin* (2011), vol 34(5):660–665.

16 Y. Panahi *et al.*, 'Efficacy and safety of phytosomal curcumin in non-alcoholic fatty liver disease: a randomised controlled trial', *Drug Research* (2017), vol 67(4):244–251.