

## REFERENCES

### Introduction

1 <https://www.versusarthritis.org/media/14594/state-of-musculoskeletal-health-2019.pdf>

2 A Mobasher et al, 'The role of metabolism in the pathogenesis of osteoarthritis.' *Nat Rev Rheumatol*, (2017), 13(5):302-11. doi:10.1038/nrrheum.2017.50

3 N Yoshimura et al, 'Accumulation of metabolic risk factors such as overweight, hypertension, dyslipidaemia, and impaired glucose tolerance raises the risk of occurrence and progression of knee osteoarthritis: a 3-year follow-up of the ROAD study', *Osteoarthritis Cartilage*, (2012), 20:1217-26.

4 N Hafezi-Nejad et al, 'Long term use of analgesics and risk of osteoarthritis progressions and knee replacement: propensity score matched cohort analysis of data from the Osteoarthritis Initiative', *Osteoarthr Cartil*, (2016), 24(4):597-604.

doi:10.1016/j.joca.2015.11.003

5 J Charlesworth et al, 'Osteoarthritis- a systematic review of long-term safety implications for osteoarthritis of the knee', *BMC Musculoskelet Disord*, (2019), 20(1):151.

doi:10.1186/s12891-019-2525-0

6 H Bliddal et al, 'Adherence to methotrexate in rheumatoid arthritis: a Danish nationwide cohort study', *Arthritis* (2015), 2015:915142. doi: 10.1155/2015/915142.

7 C Ding, 'Do NSAIDs affect the progression of osteoarthritis?' *Inflammation*, (2002), 26(3):139-42.

8 L Tavazzi et al, 'Effect of n-3 polyunsaturated fatty acids in patients with chronic heart failure (the GISSI-HF trial): A randomised, double-blind, placebo-controlled trial', *Lancet*, (2008), 372(9645):1223-30; see also M Yokoyama et al, 'Effects of eicosapentaenoic acid on major coronary events in hypercholesterolaemic patients (JELIS): a randomised open-label, blinded endpoint analysis', *Lancet*, (2007), 369(9567):1090-8.

9 M de Lorgeril, 'Recent findings on the health effects of omega-3 fatty acids and statins, and their interactions: do statins inhibit omega-3?' *BMC medicine*, (2013), 11:5.

doi:10.1186/1741-7015-11-5

## Chapter 1

1 A Mobasher et al, 'The role of metabolism in the pathogenesis of osteoarthritis', *Nature Reviews Rheumatology*, (2017), 13(5): 302–11. doi: 10.1038/nrrheum.2017.50.

## Chapter 2

1 P Lementowski and S Zelicof, 'Obesity and osteoarthritis', *Am J Orthop (Belle Mead NJ)*, (2008), 37(3):148-51.

2 See <https://creakyjoints.org/comorbid-conditions/hypothyroidism-and-arthritis/>

3 J Nicolau et al, 'Rheumatoid arthritis, insulin resistance, and diabetes', *Joint Bone Spine*, (2017), 84(4):411-6. doi:10.1016/j.jbspin.2016.09.001

4 J Bland and S Cooper, 'Osteoarthritis: a review of the cell biology involved and evidence for reversibility. Management rationally related to known genesis and pathophysiology', *Seminars in Arthritis and Rheumatism*, (1984), 14(2):106–33.

5 R Meenan et al, 'The impact of chronic disease: a sociomedical profile of rheumatoid arthritis', *Arthritis and Rheumatism*, (1981), 24(3):544–9.

6 Ellman and Mitchell, in 'Reports on Chronic Rheumatic Diseases', ed, Buckley, Macmillan (1936).

7 E Pradham et al, 'Effect of Mindfulness-Based Stress Reduction in rheumatoid arthritis patients.' *Arthritis and Rheumatism*, (2007), 57 (7):1134-42.

8 'Crime doesn't pay but keeps arthritis away', *Los Angeles Times* (23 January 1963)

9 J Parker and B Westra, 'Stress, psychological factors, and rheumatoid arthritis', *Current Opinion in Rheumatology*, (1989), 1(1):39–43.

## Chapter 3

1 J Shin et al, 'Inflammasomes and autoimmune and rheumatic diseases: A comprehensive review', *J Autoimmun*, (2019), 103:102299. doi:10.1016/j.jaut.2019.06.010.

2 Z Xiang et al, 'The epigenetic mechanism for discordance of autoimmunity in monozygotic twins', *J Autoimmun*, (2017), 83:43-50. doi:10.1016/j.jaut.2017.04.003.

3 D Kiefe, 'Quenching the flames of inflammatory brain aging', *Life Extension Magazine*, September 2003.

4 A Masood et al, 'Serum high sensitivity C-reactive protein levels and the severity of coronary atherosclerosis assessed by angiographic gensini score', *Journal of the Pakistan Medical Association*, (2011), 61(4):325–7.

5 M Di Napoli et al, 'C-reactive protein level measurement improves mortality prediction when added to the spontaneous intracerebral hemorrhage score', *Stroke*, (2011), 42(5):1230–6. Epub 2011 Apr 7.

#### **Chapter 4**

1 C Huerta et al, 'Nonsteroidal anti-inflammatory drugs and risk of ARF in the general population', *American Journal of Kidney Diseases*, (2005), 45(3):531-9.

2 V Kumar et al, 'Robbins and Cotran Pathologic Basis of Disease', pp. 1356–61, WB Saunders (1984). See also, Petersdorf et al, 'Harrison's Principles of Internal Medicine' pp 517–24, McGraw Hill, New York (1983).

3 I Bjarnason et al, 'Intestinal permeability and inflammation in rheumatoid arthritis: effects of non-steroidal anti-inflammatory drugs', *Lancet*, (1984), 2(8413):1171-41.

4 M Allison et al, 'Gastrointestinal damage associated with the use of nonsteroidal anti-inflammatory drugs,' *New England Journal of Medicine*, (1992), 327(11):749–54.

5 Press release from American College of Rheumatology, 17 October 2004.

6 M Wolfe et al, 'Gastrointestinal Toxicity of Non-steroidal Anti-inflammatory Drugs', *New England Journal of Medicine*, (1999), 340(24):1888-99. This is for the years 1997 and 1998 and estimates 103,000 hospitalisations and 16,500 deaths each year.

7 D Rudic et al, 'COX-2-derived prostacyclin modulates vascular remodelling', *Circulation Research*, (2005), 96(12):1240-7.

8 Ibid.

9 X Liang et al, 'Prostaglandin D2 mediates neuronal protection via the DP1 receptor', *Journal of Neurochemistry*, (2005), 92(3):477-86. This essentially found that one of the effects of the prostglandins blocked by cox-2 inhibitors was to protect brain cells after a stroke, so cutting down their production with the drug could increase stroke damage.

10 C Dai et al, 'National trends in cyclooxygenase-2 inhibitor use since market release: nonselective diffusion of a selectively cost-effective innovation', *Archives of Internal Medicine*, (2005), 165(2):171-7.

11 S Chaplin, 'Volume and Cost of Prescribing in England, 2004', *Prescriber*, (2005), 16(5).

To print hard copy go to

<http://www.escriber.com/Prescriber/Features.asp?ID=989&GroupID=40&Action=View>

12 J Hippisley-Cox and C Coupland, 'Risk of myocardial infarction in patients taking cyclooxygenase-2 inhibitors or conventional non-steroidal anti-inflammatory drugs: population based nested case-control analysis', *British Medical Journal*, (2005), 330(7504):1366-9.

13 C Huerta et al, 'Non-steroidal anti-inflammatory drugs and risk of first hospital admission for heart failure in the general population', *Heart (British Cardiac Society)*, (2006), 92(11):1610-5.

14 P Elwood et al, 'For and against: Aspirin for everyone older than 50? For', *British Medical Journal*, (2005), 330(7505):1440-1, and C Baigent, 'For and against: Aspirin for everyone older than 50? Against', *British Medical Journal*, (2005), 330(7505):1442-3.

15 'NSAIDs and adverse effects', See

[www.jr2.ox.ac.uk/bandolier/booth/painpag/nsae/nsae.html#Heading10](http://www.jr2.ox.ac.uk/bandolier/booth/painpag/nsae/nsae.html#Heading10)

16 Watanabe T, Fujiwara Y, Chan FKL, 'Current knowledge on non-steroidal anti-inflammatory drug-induced small-bowel damage: a comprehensive review', *J Gastroenterol*. 2020 May;55(5):481-495. doi: 10.1007/s00535-019-01657-8. Epub 2019 Dec 21. PMID: 31865463; PMCID: PMC7188723.]

17 P Brooks et al, 'NSAIDs and osteoarthritis – help or hindrance?' *Journal of Rheumatology*, (1982), 9(1):3-5.

18 R Raffa et al, 'Discovery of "self-synergistic" spinal/supraspinal antinociception produced by acetaminophen (paracetamol)', *Journal of Pharmacology and Experimental Therapeutics*, (2000), 295(1):291-4.

19 A Temple, 'Max daily OTC dose of Acetaminophen Shows Efficacy Comparable to Rx Doses of Naproxen for OA Pain.' presented at the 2nd Joint Scientific Meeting of the American Pain Society and the Canadian Pain Society, 7 May 2004.

20 T Towheed et al, 'Acetaminophen for Osteoarthritis', *Cochrane Database of Systematic Reviews*, (2006), (1):CD004257; T Wienecke and P Gøtzsche, 'Paracetamol versus

nonsteroidal anti-inflammatory drugs for rheumatoid arthritis', *Cochrane Database of Systematic Reviews*, (2004), (1):CD003789.

21 K Hawton et al, 'UK legislation on analgesic packs: before and after study of long-term effect on poisonings', *British Medical Journal*, (2004), 329(7474):1076.

22 Youcha, 'The cortisone dilemma', *Science Digest* (January 1982).

23 L Omland et al, 'Risk factors for low bone mineral density among a large group of Norwegian women with fractures', *European Journal of Epidemiology*, (2000), 16(3):223-9.

24 J Bjordal et al, 'Non-steroidal anti-inflammatory drugs, including cyclo-oxygenase-2 inhibitors, in osteoarthritic knee pain: meta-analysis of randomised placebo controlled trials', *British Medical Journal*, (2004), 329(7478):1317.

25 G Fitzgerald, 'Effect of Ibuprofen on cardioprotective effect of aspirin', *The Lancet*, (2003), 361(9368):1561.

## **Chapter 5**

1 N Chainani-Wu, 'Safety and Anti-Inflammatory Activity of Curcumin: A Component of Tumeric (*Curcuma longa*).', *Journal of Alternative and Complementary Medicine*, (2003), 9(1):161-8.

2 B Joe and B Lokesh, 'Effect of curcumin and capsaicin on arachidonic acid metabolism and lysosomal enzyme secretion by rat peritoneal macrophages.' *Lipids*, (1997), 32(11):1173–80.

3 G Jagetia and B Aggarwal, 'Spicing up of the immune system by curcumin.' *Journal of Clinical Immunology*, (2007), 27(1):19-35.

4 Y Henrotin et al, 'Bio-optimized *Curcuma longa* extract is efficient on knee osteoarthritis pain: a double-blind multicenter randomized placebo controlled three-arm study.' *Arthritis Research & Therapy*, (2019), 21(1):179. <https://doi.org/10.1186/s13075-019-1960-5>

5 Y Shin et al, 'Short-term effects of Theracurmin dose and exercise type on pain, walking ability, and muscle function in patients with knee osteoarthritis.' *J Exerc Rehabil*, (2017), 13(6):684-92. doi: 10.12965/jer.1735064.532. PMID: 29326901; PMCID: PMC5747204.

6 Y Nakagawa et al, 'Short-term effects of highly-bioavailable curcumin for treating knee osteoarthritis: a randomized, double-blind, placebo-controlled prospective study.' *Journal of Orthopaedic Science : Official Journal of the Japanese Orthopaedic Association*, (2014), 19(6):933–9. <https://doi.org/10.1007/s00776-014-0633-0>

- 7 P Gupte et al, 'Evaluation of the efficacy and safety of Capsule Longvida((R)) Optimized Curcumin (solid lipid curcumin particles) in knee osteoarthritis: a pilot clinical study.' *Journal of Inflammation Research*, (2019), 12:145-52. <https://doi.org/10.2147/JIR.S205390>
- 8 V Kuptniratsaikul et al, 'Efficacy and safety of Curcuma domestica extracts compared with ibuprofen in patients with knee osteoarthritis: a multicenter study.' *Clinical Interventions in Aging*, (2014), 9:451-8. <https://doi.org/10.2147/CIA.S58535>
- 9 D Shep et al, 'Safety and efficacy of curcumin versus diclofenac in knee osteoarthritis: a randomized open-label parallel-arm study.' *Trials*, (2019), 20(1):214. <https://doi.org/10.1186/s13063-019-3327-2>
- 10 Y Panahi et al, 'Curcuminoid treatment for knee osteoarthritis: a randomized double-blind placebo-controlled trial.' *Phytotherapy Research: PTR*, (2014), 28(11):1625-31. <https://doi.org/10.1002/ptr.5174>
- 11 V. Kuptniratsaikul et al, Efficacy and safety of Curcuma domestica extracts compared with ibuprofen in patients with knee osteoarthritis: a multicenter study. *Clinical Interventions in Aging*. 2014 Mar 20;9:451-8. doi: 10.2147/CIA.S58535. PMID: 24672232; PMCID: PMC3964021.
- 12 G Belcaro et al, 'Efficacy and safety of Meriva(R), a curcumin-phosphatidylcholine complex, during extended administration in osteoarthritis patients.' *Alternative Medicine Review : A Journal of Clinical Therapeutic*, (2010), 15(4):337-44.
- 13 S. Srivastava, et al. Curcuma longa extract reduces inflammatory and oxidative stress biomarkers in osteoarthritis of knee: a four-month, double-blind, randomized, placebo-controlled trial. *Inflammopharmacology* 24, 377–388 (2016). <https://doi.org/10.1007/s10787-016-0289-9>
- 14 J Daily e al, 'Efficacy of Turmeric Extracts and Curcumin for Alleviating the Symptoms of Joint Arthritis: A Systematic Review and Meta-Analysis of Randomized Clinical Trials.' *Journal of Medicinal Food*, (2016), 19(8):717-29. <https://doi.org/10.1089/jmf.2016.3705>
- 15 M. Yang et al, Curcumin in Autoimmune and Rheumatic Diseases. *Nutrients*. 2019 May 2;11(5):1004. doi: 10.3390/nu11051004. PMID: 31052496; PMCID: PMC6566522.
- 16 A Amalraj et al, 'A Novel Highly Bioavailable Curcumin Formulation Improves Symptoms and Diagnostic Indicators in Rheumatoid Arthritis Patients: A Randomized,

- Double-Blind, Placebo-Controlled, Two-Dose, Three-Arm, and Parallel-Group Study.’ *Journal of Medicinal Food*, (2017), 20(10):1022-30. <https://doi.org/10.1089/jmf.2017.3930>
- 17 B Chandranand, A Goel, ‘A randomized, pilot study to assess the efficacy and safety of curcumin in patients with active rheumatoid arthritis.’ *Phytotherapy Research : PTR*, (2012), 26(11):1719-25. <https://doi.org/10.1002/ptr.4639>
- 18 G Belcaro et al, ‘Meriva(R)+Glucosamine versus Chondroitin+Glucosamine in patients with knee osteoarthritis: an observational study.’ *European Review for Medical and Pharmacological Sciences*, (2014), 18(24):3959-63.
- 19 M Lindahl and C Tagesson, ‘Flavonoids as phospholipase A2 inhibitors: importance of their structure for selective inhibition of group II phospholipase A2.’ *Inflammation*, (1997), 21(3):347–56.
- 20 Y Shaik et al, ‘Role of quercetin (a natural herbal compound) in allergy and inflammation.’ *Journal of Biological Regulators and Homeostatic Agents*, (2006), 20(3-4):47-52.
- 21 Y Li et al, ‘Quercetin, Inflammation and Immunity.’ *Nutrients*. (2016), 8(3):167. doi:10.3390/nu8030167
- 22 A Negre-Salvayre et al, ‘Additional antilipoperoxidant activities of alpha-tocopherol and ascorbic acid on membrane-like systems are potentiated by rutin.’ *Pharmacology*, (1991), 42(5):262–72.
- 23 H Dabbagh-Bazarbachi et al, ‘Zinc ionophore activity of quercetin and epigallocatechin-gallate: from Hepa 1-6 cells to a liposome model.’ *J Agric Food Chem*. (2014), 62(32):8085-93. doi:10.1021/jf5014633
- 24 F Javadi et al, ‘The Effect of Quercetin on Inflammatory Factors and Clinical Symptoms in Women with Rheumatoid Arthritis: A Double-Blind, Randomized Controlled Trial.’ *Journal of the American College of Nutrition*, (2017) 36(1):9-15. <https://doi.org/10.1080/07315724.2016.1140093>
- 25 T Kasemsuk et al, ‘Improved WOMAC score following 16-week treatment with bromelain for knee osteoarthritis.’ *Clinical Rheumatology*, (2016), 35(10):2531-40. [<https://doi.org/10.1007/s10067-016-3363-1>]
- 26 M Ueberall et al, ‘Efficacy, tolerability, and safety of an oral enzyme combination vs diclofenac in osteoarthritis of the knee: results of an individual patient-level pooled reanalysis

- of data from six randomized controlled trials.’ *Journal of Pain Research*, (2016), 9:941-61. [<https://doi.org/10.2147/JPR.S108563>]
- 27 S Brien et al, ‘Bromelain as an adjunctive treatment for moderate-to-severe osteoarthritis of the knee: a randomized placebo-controlled pilot study.’ *QJM : Monthly Journal of the Association of Physicians*, (2006), 99(12):841-50. [<https://doi.org/10.1093/qjmed/hcl118>]
- 28 S Silva et al, ‘Protective effects of hydroxytyrosol-supplemented refined olive oil in animal models of acute inflammation and rheumatoid arthritis.’ *J Nutr Biochem*. (2015), 26(4):360-8. doi:10.1016/j.jnutbio.2014.11.011
- 29 G. Beauchamp et al, ‘Phytochemistry: ibuprofen-like activity in extra-virgin olive oil.’ *Nature*, (2005), 437(7055):45-6.
- 30 C Bitler et al, ‘Hydrolyzed olive vegetation water in mice has anti-inflammatory activity.’ *Journal of Nutrition*, (2005), 135(6):1475-9.
- 31 F Kiuchi et al, ‘Inhibition of prostaglandin and leukotriene biosynthesis by gingerols and diarylheptanoids.’ *Chemical and Pharmaceutical Bulletin*, (1992), 40(2):387–91.
- 32 B Ali et al, ‘Some phytochemical, pharmacological and toxicological properties of ginger (*Zingiber officinale* Roscoe): a review of recent research.’ *Food and Chemical Toxicology*, (2008), 46(2):409-20.
- 33 K Srivastava and T Mustafa, ‘Ginger (*Zingiber officinale*) and rheumatic disorders.’ *Medical Hypothesis*, (1992), 39(4):342-8; and R Altman K Marcussen, ‘Effects of a ginger extract on knee pain in patients with osteoarthritis.’ *Arthritis and Rheumatism*, 2001, 44(11):2531-8.
- 34 N Aryaeian et al, ‘The effect of ginger supplementation on some immunity and inflammation intermediate genes expression in patients with active Rheumatoid Arthritis.’ *Gene*, (2019), 698:179-85. doi:10.1016/j.gene.2019.01.048
- 35 M Lemay et al, ‘In Vitro and Ex Vivo Cyclooxygenase Inhibition by a Hops Extract.’ *Asia Pacific Journal of Clinical Nutrition*, (2004), 13(Suppl):S110.
- 36 S Hougee et al, ‘Selective inhibition of COX-2 by a standardized CO<sub>2</sub> extract of *Humulus lupulus* in vitro and its activity in a mouse model of zymosan-induced arthritis.’ *Planta Med* (2006), 72(3):228-33. doi:10.1055/s-2005-916212
- 37 A Fan et al, ‘Effects of an acetone extract of *Boswellia carterii* Birdw. (Burseraceae) gum resin on rats with persistent inflammation.’ *Journal of Alternative and Complementary Medicine*, (2005), 11(2):323-31; and A Fan *et al.*, ‘Effects of an acetone extract of *Boswellia*



carterii Birdw. (Burseraceae) gum resin on adjuvant-induced arthritis in Lewis rats.' *Journal of Ethnopharmacology*, (2005), 101(1-3):104-9.

38 N Kimmatkar et al, 'Efficacy and tolerability of *Boswellia serrata* extract in treatment of osteoarthritis of knee: a randomized double- blind placebo-controlled trial.' *Phytomedicine*, (2003), 10(1):3-7.

39 R Shader, 'An Anecdote About Arthritis and *Boswellia serrata*', *Clinical Therapeutics*, (2018), 40(5):669-71. <https://doi.org/10.1016/j.clinthera.2018.04.008>.

40 M Majeed et al, 'A pilot, randomized, double-blind, placebo-controlled trial to assess the safety and efficacy of a novel *Boswellia serrata* extract in the management of osteoarthritis of the knee.' *Phytother Res* (2019), 33(5):1457-68. doi:10.1002/ptr.6338

41 V Gupta et al, 'Chemistry and pharmacology of gum resin of *Boswellia Serrata*.' *Indian Drugs*, (1986), 24(5):221-31.

42 M Khan et al, 'In vivo, Extract from *Withania somnifera* Root Ameliorates Arthritis via Regulation of Key Immune Mediators of Inflammation in Experimental Model of Arthritis.' *Antiinflamm Antiallergy Agents Med Chem* (2019), 18(1):55-70.

doi:10.2174/1871523017666181116092934

43 H Ichikawa et al, 'Withanolides potentiate apoptosis, inhibit invasion, and abolish osteoclastogenesis through suppression of nuclear factor-kappaB (NF-kappaB) activation and NF-kappaB-regulated gene expression.' *Molecular Cancer Therapeutics*, (2006), 5(6):1434-45.

44 G Ramakanth et al, 'A randomized, double blind placebo-controlled study of efficacy and tolerability of *Withania somnifera* extracts in knee joint pain.' *J Ayurveda Integr Med* (2016), 7(3):151-7. doi:10.1016/j.jaim.2016.05.003

45 G Kumar et al, 'Efficacy & safety evaluation of Ayurvedic treatment (*Ashwagandha* powder & *Sidh Makardhwaj*) in rheumatoid arthritis patients: a pilot prospective study.' *Indian J Med Res* (2015), 141(1):100-6. doi:10.4103/0971-5916.154510.

46 R Kulkarni et al, 'Treatment of osteo-arthritis with a herbo-mineral formulation: a double blind, placebo controlled, cross over study.' *Journal of Ethnopharmacology*, (1991), 33(1-2):91-5.

47 S Brien et al, 'Devil's Claw (*Harpagophytum procumbens*) as a treatment for osteoarthritis: a review of efficacy and safety.' *Journal of Alternative and Complementary Medicine (New York, N.Y.)*, (2006), 12(10):981-93. <https://doi.org/10.1089/acm.2006.12.981>

- 48 R Balagot et al, 'Analgesia in mice and humans by D-phenylalanine: Relation to inhibition of enkephalin degradation and enkephalin levels.' In: *Advances in Pain Research and Therapy*, vol. 5, pp. 289–93, edited by J Bonica, J Liebeskind and D Albe-Fessard, Raven Press, New York (1983).
- 49 K Budd, 'Use of D-phenylalanine, an enkephalinase inhibitor, in the treatment of intractable pain.' In: *Advances in Pain Research and Therapy*, vol. 5, pp. 305–8, edited by J. J. Bonica, J. C. Liebeskind & D. G. Albe-Fessard, Raven Press, New York (1983)
- 50 S Ehrenpreis et al, 'Naloxone Reversible Analgesia in Mice produced by D-Phenylalanine and Hydrocinnamic Acid, Inhibitors of Carboxypeptidase A.' In: *Advances in Pain Research and Therapy*, vol. 3, pp. 479-488, edited by J. J. Bonica, J. C. Liebeskind & D. G. Albe-Fessard, Raven Press, New York (1978)
- 51 N Walsh et al, 'Analgesic Effectiveness of D-phenylalanine in chronic pain patients.' *Archives of Physical Medicine and Rehabilitation*, (1986), 67(7):436-9.
- 52 Hopkins, *Anabolism*, vol. 4(2), p.146-149 (1985).
- 53 R Widrig et al, 'Choosing between NSAID and arnica for topical treatment of hand osteoarthritis in a randomised, double-blind study.' *Rheumatology International*, (2007), 27(6):585-91.
- 54 O Knuesel et al, 'Arnica montana gel in osteoarthritis of the knee: an open, multicenter clinical trial.' *Advances in Therapy*, (2002), 19(5):209-18.
- 55 W Kraemer et al, 'Effect of a cetylated fatty acid topical cream on functional mobility and quality of life of patients with osteoarthritis.' *Journal of Rheumatology*, (2004), 31(4):767-74.
- 56 W Kraemer et al, 'Effects of treatment with a cetylated fatty acid topical cream on static postural stability and plantar pressure distribution in patients with knee osteoarthritis.' *Journal of Strength and Conditioning Research*, (2005), 19(1):115-21.
- 57 W Kraemer et al, 'A cetylated fatty acid topical cream with menthol reduces pain and improves functional performance in individuals with arthritis.' *Journal of Strength and Conditioning Research*, (2005), 19(2):475-80.
- 58 A Ariani et al, 'Short-Term Effect of Topical Cetylated Fatty Acid on Early and Advanced Knee Osteoarthritis: A Multi-Center Study.' *Archives of Rheumatology*, (2018), 33(4):438-42. <https://doi.org/10.5606/ArchRheumatol.2018.6711>
- 59 C Deal et al, 'Treatment of arthritis with topical capsaicin: a double-blind trial.' *Clinical Therapeutics*, (1991), 13(3):383-95.

60 G McCarthy and D McCarty, 'Effect of topical capsaicin in the therapy of painful osteoarthritis of the hands.' *Journal of Rheumatology*, (1992), 19(4):604-7.

61 H Frerick et al, 'Topical treatment of chronic low back pain with a capsicum plaster.' *Pain*, (2003), 106(1-2):59-64; and W Keitel et al, 'Capsicum pain plaster in chronic non-specific low back pain.' *Arzneimittelforschung*, (2001), 51(11):896-903.

## Chapter 6

1 M Plumb and R Aspden, 'High levels of fat and (n-6) fatty acids in cancellous bone in osteoarthritis.' *Lipids Health Dis* (2004), 3:12; see also K Baker et al, 'Association of plasma n-6 and n-3 polyunsaturated fatty acids with synovitis in the knee: the MOST study.' *Osteoarthritis Cartilage* (2012), 20:382-7.

2 P Calder, 'n-3 Polyunsaturated fatty acids, inflammation, and inflammatory diseases.' *Am J Clin Nutr* (2006), 83(6 Suppl):1505S–19S.

3 R Goldberg, 'A meta-analysis of the analgesic effects of omega-3 polyunsaturated fatty acid supplementation for inflammatory joint pain.' *Pain*, (2007), 129(1-2):210-23.

4 J Kremer et al, 'Effects of manipulation of dietary fatty acids on clinical manifestations of rheumatoid arthritis.' *Lancet*, (1985), 1(8422):184-7.

5 H van der Tempel et al, 'Effects of fish oil supplementation in rheumatoid arthritis.' *Annals of the Rheumatic Diseases*, (1990), 49(2):76–80.

6 J Kremer et al, 'Effects of manipulation of dietary fatty acids on clinical manifestations of rheumatoid arthritis.' *Lancet*, (1985), 325(8422):184-7; and J Kremer et al, 'Dietary fish oil and olive oil supplementation in patients with rheumatoid arthritis. Clinical and immunologic effects.' *Arthritis and Rheumatism*, (1990), 33(6):810-20.

7 G Nielsen et al, 'The effects of dietary supplementation with n-3 polyunsaturated fatty acids in patients with rheumatoid arthritis: a randomized, double-blind trial.' *Eur J Clin Invest*, (1992), 22(10):687-91. doi:10.1111/j.1365-2362.1992.tb01431.x

8 E Rajaei et al, 'The Effect of Omega-3 Fatty Acids in Patients with Active Rheumatoid Arthritis Receiving DMARDs Therapy: Double-Blind Randomized Controlled Trial.' *Global Journal of Health Science*, (2015), 8(7):18–25. <https://doi.org/10.5539/gjhs.v8n7p18>

9 B Lu et al, 'Dietary fat and progression of knee osteoarthritis dietary fat intake and radiographic progression of knee osteoarthritis: data from the Osteoarthritis Initiative.' *Arthritis Care Res*, (2017), 69:368-75.

- 10 P Peanpadungrat, 'Efficacy and Safety of Fish Oil in Treatment of Knee Osteoarthritis.' *J Med Assoc Thai*, (2015), 98(Suppl3):S110-4. PMID: 26387397
- 11 C Hill et al, 'Fish oil in knee osteoarthritis:a randomized clinical trial of low dose versus high dose.' *Ann Rheum Dis*, (2016), 75:23-9.
- 12 C Curtis et al, 'Pathologic indicators of degradation and inflammation in human osteoarthritic cartilage are abrogated by exposure to n-3 fatty acids.' *Arthritis & Rheumatism*, (2002), 46(6):1544-53.
- 13 B Galarraga et al, 'Cod liver oil (n-3 fatty acids) as a non-steroidal anti-inflammatory drug sparing agent in rheumatoid arthritis.' *Rheumatology (Oxford, England)*, (2008), 47(5):665-9.
- 14 C Dawczynski et al, 'Docosahexaenoic acid in the treatment of rheumatoid arthritis: A double-blind, placebo-controlled, randomized cross-over study with microalgae vs. sunflower oil.' *Clinical Nutrition (Edinburgh, Scotland)*, (2018), 37(2):494-504.  
<https://doi.org/10.1016/j.clnu.2017.02.021>
- 15 B Savaş et al, 'Effect of flaxseed poultice compress application on pain and hand functions of patients with hand osteoarthritis.' *Clin Rheumatol*, (2019), 38(7):1961-9.  
doi:10.1007/s10067-019-04484-7
- 16 J Allaire et al, 'A randomized, crossover, head-to-head comparison of eicosapentaenoic acid and docosahexaenoic acid supplementation to reduce inflammation markers in men and women: the Comparing EPA to DHA (ComparED) Study.' *Am J Clin Nutr* (2016), 104(2):280-7. doi:10.3945/ajcn.116.131896
- 17 T Mori et al, 'Comparison of diets supplemented with fish oil or olive oil on plasma lipoproteins in insulin-dependent diabetics.' *Metabolism*, (1991), 40(3):241-6.
- 18 G Hansen et al, 'Nutritional status of Danish patients with rheumatoid arthritis and effects of a diet adjusted in energy intake, fish content and antioxidants.' *Ugeskrift for Laegeri*, (1998), 160(21):3074-8.
- 19 D Horrobin, 'The regulation of prostaglandin biosynthesis: negative feedback mechanisms and the selective control of formation of I and 2 series prostaglandins: relevance to inflammation and immunity.' *Medical Hypotheses*, (1980), 6(7):687-709; R Zurier and F Quagliata, 'Effect of prostaglandin E 1 on adjuvant arthritis.' *Nature*, (1971), 234(5327):304-5; R Zurier et al, 'Prostaglandin E treatment of NZB/NZW mice.' *Arthritis and rheumatism*, (1977), 20(2):723-8; and S Kunkel et al, 'Species-dependent regulation of

- monocyte/macrophage Ia antigen expression and antigen presentation by prostaglandin E.’ *Cellular immunology*, (1986), 97(1):140-5.
- 20 S Kunkel et al, ‘Suppression of chronic inflammation by evening primrose oil.’ *Progress in Lipid Research*, (1981), 20:885-8.
- 21 R Karmali, ‘Effect of dietary fatty acids on experimental manifestation of Salmonella-associated arthritis in rats.’ *Prostaglandins, Leukotrienes and Medicine*, (1987), 29(2-3):199-204.
- 22 G Tate et al, ‘Suppression of monosodium urate crystal-induced acute inflammation by diets enriched with gamma-linolenic acid and eicosapentaenoic acid.’ *Arthritis and Rheumatism*, (1988), 31(12):1543-51.
- 23 Hansen et al, ‘Isolated congenital complete heart block in offspring of mothers with primary Sjögren’s syndrome.’ *Scandinavian Journal of Rheumatology*, (1989), 6:729-33.
- 24 Veselinovic M et al, Clinical Benefits of n-3 PUFA and Alpha-Linolenic Acid in Patients with Rheumatoid Arthritis. *Nutrients*. 2017 Mar 25;9(4):325. doi: 10.3390/nu9040325. PMID: 28346333; PMCID: PMC5409664.
- 25 R Zurier et al, ‘Gamma-linoleic acid treatment of rheumatoid arthritis. A randomised placebo-controlled trial.’ *Arthritis and rheumatism*, (1996), 39(11):1808-17.
- 26 T Hansen et al, ‘Treatment of rheumatoid arthritis with prostaglandin E1 precursors cis-linoleic acid and gamma-linolenic acid.’ *Scandinavian Journal of Rheumatology*, (1983), 12(2):85-8.
- 27 W Kraemer et al, ‘Effect of a cetylated fatty acid topical cream on functional mobility and quality of life of patients with osteoarthritis.’ *Journal of Rheumatology*, (2004), 31(4):767-74; R Hesslink et al, ‘Cetylated fatty acids improve knee function in patients with osteoarthritis.’ *Journal of Rheumatology*, (2002), 29(8):1708-12; and W Kraemer et al, ‘A cetylated fatty acid topical cream with menthol reduces pain and improves functional performance in individuals with arthritis.’ *J Strength Cond Res*. (2005), 19(2):475-80. doi:10.1519/R-505059.1
- 28 R Hesslink Jr et al, ‘Cetylated fatty acids improve knee function in patients with osteoarthritis.’ *Journal of Rheumatology*, (2002), 29(8):1708-12.
- 29 J Goliniand W Jones, ‘Kre-Celazine((R)) as a viable treatment for juvenile rheumatoid arthritis/juvenile idiopathic arthritis - a pilot study.’ *Journal of Medicinal Food*, (2014), 17(9):1022-6. <https://doi.org/10.1089/jmf.2013.0169>

30 A Hudita et al, 'In Vitro Effects of Cetylated Fatty Acids Mixture from Celadrin on Chondrogenesis and Inflammation with Impact on Osteoarthritis.' *Cartilage*. (2020), 11(1):88-97. doi:10.1177/1947603518775798

## Chapter 7

1 Q Zhuo et al, 'Metabolic syndrome meets osteoarthritis.' *Nat Rev Rheumatol*. (2012), 8(12):729-37. doi:10.1038/nrrheum.2012.135; see also L Gierman et al, 'Metabolic stress-induced inflammation plays a major role in the development of osteoarthritis in mice.' *Arthritis Rheum* (2012), 64:1172-81; see also J Sellam and F Berenbaum, 'Is osteoarthritis a metabolic disease?' *Joint Bone Spine*, (2013), 80(6):568-73. doi:10.1016/j.jbspin.2013.09.007

2 A Mobasher et al, 'The role of metabolism in the pathogenesis of osteoarthritis.' *Nat Rev Rheumatol*, (2017), 13(5):302-11. doi: 10.1038/nrrheum.2017.50. Epub 2017 Apr 6. PMID: 28381830.

3 A Hartz et al, 'The association of obesity with joint pain and osteoarthritis in the HANES data.' *Journal of Chronic Diseases*, (1986), 39(4):311-9.

4 R Acheson and A Collart, 'New Haven survey of joint diseases. XVII. Relationship between some systemic characteristics and osteoarthrosis in a general population.' *Annals of the Rheumatic Diseases*, (1975), 34(5):379-87; see also J Lawrence, 'Hypertension in relation to musculoskeletal disorders.' *Annals of the Rheumatic Diseases*, (1975), 34(5):451-6.

5 J Bland and S Cooper, 'Osteoarthritis: a review of the cell biology involved and evidence for reversibility. Management rationally related to known genesis and pathophysiology.' *Seminars in Arthritis and Rheumatism*, (1984), 14(2):106-33.

6 L Sokoloff, 'Endemic forms of osteoarthritis.' *Clinics in Rheumatic Diseases*, (1985), 11(2):187-202.

7 M Rahman et al, 'Risk of Type-2 Diabetes among Osteoarthritis Patients in a Prospective Longitudinal Study.' *Int J Rheumatol*. (2014), 2014:620920. doi:10.1155/2014/620920

8 A Courties and J Sellam, 'Osteoarthritis and type-2 diabetes mellitus: What are the links?' *Diabetes Res Clin Pract*. (2016), 122:198-206. doi:10.1016/j.diabres.2016.10.021; see also N

Veronese et al, 'Type-2 diabetes mellitus and osteoarthritis.' *Semin Arthritis Rheum* (2019), 49(1):9-19. doi:10.1016/j.semarthrit.2019.01.005

9 L Strath et al, 'The Effect of Low-Carbohydrate and Low-Fat Diets on Pain in Individuals with Knee Osteoarthritis.' *Pain Med*, (2020), 21(1):150-60. doi: 10.1093/pm/pnz022. PMID: 30865775.

10 A Venetsanopoulou et al, 'Fasting mimicking diets: A literature review of their impact on inflammatory arthritis.' *Mediterr J Rheumatol* (2020), 30(4):201-6. Published 2020 Mar 31. doi:10.31138/mjr.30.4.201

## Chapter 8

1 D Pattison et al, 'Dietary beta-cryptoxanthin and inflammatory polyarthritis: results from a population-based prospective study.' *American Journal of Clinical Nutrition*, (2005), 82(2):451-5.

2 H Li et al, 'Associations between dietary antioxidants intake and radiographic knee osteoarthritis.' *Clin Rheumatol* (2016), 35(6):1585-92. doi:10.1007/s10067-016-3177-1

3 M Leenders et al. Fruit and vegetable intake and cause-specific mortality in the EPIC study. *Eur J Epidemiol*. 2014 Sep;29(9):639-52. doi: 10.1007/s10654-014-9945-9. Epub 2014 Aug 26. PMID: 25154553.

4 P Bell et al, 'The Effects of Montmorency Tart Cherry Concentrate Supplementation on Recovery Following Prolonged, Intermittent Exercise.' *Nutrients*, (2016 Jul 22);8(7):441. doi: 10.3390/nu8070441. PMID: 27455316; PMCID: PMC4963917; see also M Brown et al, 'Montmorency tart cherry (*Prunus cerasus* L.) supplementation accelerates recovery from exercise-induced muscle damage in females.' *Eur J Sport Sci*, (2019 Feb);19(1):95-102. doi: 10.1080/17461391.2018.1502360. Epub 2018 Jul 28. PMID: 30058460.

5 H Han et al, 'Relationship between Total Fruit and Vegetable Intake and Self-Reported Knee Pain in Older Adults.' *J Nutr Health Aging*, (2017), 21(7):750-58. doi: 10.1007/s12603-016-0842-7. PMID: 28717804.

6 O Hänninen et al, 'Antioxidants in vegan diet and rheumatic disorders.' *Toxicology*, (2000), 155(1-3):45-53.

7 P Roberts et al, 'Vitamin C and inflammation', *Medical Biology*, (1984), 62(2):88.

- 8 E Schwartz, 'The modulation of osteoarthritic development by vitamins C and E.' *International Journal for Vitamin and Nutrition Research*, (1984), 26:141-6.
- 9 J Greenwood Jr, 'Optimum vitamin C intake as a factor in the preservation of disc integrity: preliminary report.' *The Medical Annals of the District of Columbia*, (1964), 33:274-6.
- 10 J Peregoy and F Wilder, 'The effects of vitamin C supplementation on incident and progressive knee osteoarthritis: a longitudinal study.' *Public Health Nutr.* (2011), 14(4):709-15. doi:10.1017/S1368980010001783
- 11 N Jensen, 'Reduced pain from osteoarthritis in hip joint or knee joint during treatment with calcium ascorbate. A randomized, placebo-controlled cross-over trial in general practice.' *Ugeskr Laeger* (2003), 165(25):2563-6.
- 12 Yoshikawa et al, *Jap. J. Med.*, (1979), 18(3):199-201.
- 13 Machtey and Ouaknine, *Journal of the American Geriatrics Society*, (1979), 26(7):328-30.
- 14 T Yoshikawa et al, 'Effect of vitamin E on adjuvant arthritis in rats.' *Biochemical Medicine*, (1983), 29(2):227-34.
- 15 S Edmonds et al, 'Putative analgesic activity of repeated oral doses of vitamin E in the treatment of rheumatoid arthritis. Results of a prospective placebo controlled double blind trial.' *Annals of the rheumatic diseases*, (1997), 56(11):649-55.
- 16 I Bhattacharya et al, 'Efficacy of vitamin E in knee osteoarthritis management of North Indian geriatric population.' *Ther Adv Musculoskelet Dis*, (2012), 4:11-9.
- 17 P Canter et al, 'The antioxidant vitamins A, C, E and selenium in the treatment of arthritis: a systematic review of randomized clinical trials.' *Rheumatology*, (2007), 46:1223-33.
- 18 A Wluka et al, 'Supplementary vitamin E does not affect the loss of cartilage volume in knee osteoarthritis: a 2 year double blind randomized placebo-controlled study.' *J Rheumatol*, (2002), 29(12):2585-91.
- 19 B Kowsari et al, 'Assessment of the diet of patients with rheumatoid arthritis and osteoarthritis.' *Journal of the American Dietetic Association*, (1983), 82(6):657-9.
- 20 Hu, T., Xu, H., Wang, C. et al. 'Magnesium enhances the chondrogenic differentiation of mesenchymal stem cells by inhibiting activated macrophage-induced inflammation.' *Sci Rep* 8, 3406 (2018). <https://doi.org/10.1038/s41598-018-21783-2>



- 21 A Shahi et al, 'The role of magnesium in different inflammatory diseases.' *Inflammopharmacology*, (2019), 27(4):649-61. doi: 10.1007/s10787-019-00603-7. Epub 2019 Jun 6. PMID: 31172335.
- 22 Li H, Zeng C, Wei J, Yang T, Gao SG, Luo W, Li YS, Xiong YL, Xiao WF, Lei GH., 'Associations of dietary and serum magnesium with serum high-sensitivity C-reactive protein in early radiographic knee osteoarthritis patients.' *Mod Rheumatol*, (2017 Jul);27(4):669-674. doi: 10.1080/14397595.2016.1230296. Epub 2016 Sep 20. PMID: 27588353.
- 23 Zeng C, Wei J, Terkeltaub R, Yang T, Choi HK, Wang YL, Xie DX, Hunter DJ, Zhang Y, Li H, Cui Y, Li LJ, Lei GH., 'Dose-response relationship between lower serum magnesium level and higher prevalence of knee chondrocalcinosis.' *Arthritis Res Ther*, (2017 Oct 24);19(1):236. doi: 10.1186/s13075-017-1450-6. PMID: 29065924; PMCID: PMC5655810; see also Zeng C, Wei J, Li H, Yang T, Zhang FJ, Pan D, Xiao YB, Yang TB, Lei GH., 'Relationship between Serum Magnesium Concentration and Radiographic Knee Osteoarthritis.' *J Rheumatol*, (2015 Jul);42(7):1231-6. doi: 10.3899/jrheum.141414. Epub 2015 Jun 1. PMID: 26034158.
- 24 M Yazar et al, 'Synovial fluid and plasma selenium, copper, zinc, and iron concentrations in patients with rheumatoid arthritis and osteoarthritis.' *Biological Trace Element Research*, (2005), 106(2):123-32; N Ahmadzadeh et al, 'Iron-binding proteins and free iron in synovial fluids of rheumatoid arthritis patients.' *Clinical Rheumatology*, (1989), 8(3):345-51; P Biemond et al, 'Intraarticular ferritin-bound iron in rheumatoid arthritis. A factor that increases oxygen free radical-induced tissue destruction.' *Arthritis and Rheumatism*, (1986), 29(10):1187-93.
- 25 Conference presentation: Blake, 'Iron overload in rheumatoid arthritis', Brain Bio Center, New Jersey, USA (1981).
- 26 D Rowley and B Halliwell, 'Formation of hydroxyl radicals from hydrogen peroxide and iron salts by superoxide- and ascorbate-dependent mechanisms: relevance to the pathology of rheumatoid disease.' *Clinical Science (London)*, (1983), 64(6):649-53.
- 27 W Niedermeier and J Griggs, 'Trace metal composition of synovial fluid and blood serum of patients with rheumatoid arthritis.' *Journal of Chronic Diseases*, (1971), 23(8):527-36; S Pandey et al, 'Zinc in rheumatoid arthritis.' *The Indian Journal of Medical Research*, (1985), 81:618-20; K Svenson et al, 'Reduced zinc in peripheral blood cells from patients with inflammatory connective tissue diseases.' *Inflammation*, (1985), 9(2):189-99.

- 28 P Simpkin, 'Oral zinc sulphate in rheumatoid arthritis.' *Lancet*, (1976), 2(7985):539-42.
- 29 O Clemmensen et al, 'Psoriatic arthritis treated with oral zinc sulphate.' *The British Journal of Dermatology*, (1980), 103(4):411-5.
- 30 J Rasker and S Kardaun, 'Lack of beneficial effect of zinc sulphate in rheumatoid arthritis.' *Scandinavian Journal of Rheumatology*, (1982), 11(3):168-70.
- 31 W Niedermeier, 'Concentration and chemical state of copper in synovial fluid and blood serum of patients with rheumatoid arthritis.' *Annals of the Rheumatic Diseases*, (1965), 24(6):544-8; W Niedermeier and J Griggs, 'Trace metal composition of synovial fluid and blood serum of patients with rheumatoid arthritis.' *Journal of Chronic Diseases*, (1971), 23(8):527-36.
- 32 W Walker and D Keats, 'An investigation of the therapeutic value of the 'copper bracelet'-dermal assimilation of copper in arthritic/rheumatoid conditions.' *Agents & Actions*, (1976), 6(4):454-9.
- 33 R Shamberger, 'Relationship of selenium to cancer. I. Inhibitory effect of selenium on carcinogenesis.' *Journal of the National Cancer Institute*, (1970), 44(4):931-6; R Shamberger et al, 'Antioxidants and cancer. I. Selenium in the blood of normals and cancer patients.' *Journal of the National Cancer Institute*, (1973), 50(4):863-70; G Schrauzer and D Ishmael, 'Effects of selenium and of arsenic on the genesis of spontaneous mammary tumors in inbred C3H mice.' *Annals of Clinical and Laboratory Science*, (1974), 4(6):441-7; W Willett et al, 'Prediagnostic serum selenium and risk of cancer.' *Lancet*, (1983), 2(8342):130-34.
- 34 K Kose et al, 'Plasma selenium levels in rheumatoid arthritis.' *Biological Trace Element Research*, (1996), 53(1-3):51-6; U Johansson et al, 'Nutritional status in girls with juvenile chronic arthritis.' *Human Nutrition, Clinical Nutrition*, (1986), 40(1):57-67; U Tarp et al, 'Low selenium level in severe rheumatoid arthritis.' *Scandinavian Journal of Rheumatology*, (1985), 14(2):97-101; J Aaseth et al, 'Trace elements in serum and urine of patients with rheumatoid arthritis.' *Scandinavian Journal of Rheumatology*, (1978), 7(4):237-40.
- 35 A Peretz et al, 'Adjuvant treatment of recent onset rheumatoid arthritis by selenium supplementation: preliminary observations.' *British Journal of Rheumatology*, (1992), 31(4):281-2.
- 36 K Heinle et al, 'Selenium concentration in erythrocytes of patients with rheumatoid arthritis. Clinical and laboratory chemistry infection markers during administration of selenium.' *Medizinische Klinik*, (1997), 92(Suppl3):29-31.

37 F Turrubiates-Hernández et al, 'The Relevance of Selenium Status in Rheumatoid Arthritis.' *Nutrients*, (2020), 12(10):3007. doi:10.3390/nu12103007

## Chapter 9

<sup>1</sup> M Signorello et al, 'Effect of homocysteine on arachidonic acid release in human platelets.' *European Journal of Clinical Investigation*, (2002), 32(4):279-84.

2 R Roubenoff et al, 'Abnormal homocysteine metabolism in rheumatoid arthritis.' *Arthritis and Rheumatism*, (1997), 40(4):718-22.

3 K Woolf and M Manore, 'Elevated plasma homocysteine and low vitamin B-6 status in non-supplementing older women with rheumatoid arthritis.' *Journal of the American Dietetic Association*, (2008), 108(3):443-53.

4 J Głuszek et al, 'The importance of homocysteine in the development of cardiovascular complications in patients with rheumatoid arthritis.' *Reumatologia*, (2020), 58(5):282-8. doi: 10.5114/reum.2020.99732. Epub 2020 Oct 12. PMID: 33227081; PMCID: PMC7667944.

5 A Hernanz et al, 'Increased plasma levels of homocysteine and other thiol compounds in rheumatoid arthritis women.' *Clinical Biochemistry*, (1999), 32(1):65-70.

6 B Seriola et al, 'Homocysteine and antiphospholipid antibodies in rheumatoid arthritis patients: relationships with thrombotic events.' *Clinical and Experimental Rheumatology*, (2001), 19(5):561-4.

7 X Gao et al, 'Homocysteine, Ankylosing Spondylitis and Reactive Arthritis: Homocysteine modification of HLA antigens and its immunological consequences.' *European Journal of Immunology*, (1996), 26(7):1443-50.

8 L Jianbo et al, 'Homocysteine, an additional factor, is linked to osteoporosis in postmenopausal women with type-2 diabetes.' *J Bone Miner Meta*, (2014), 32(6):718-24. doi: 10.1007/s00774-013-0548-4. Epub 2013 Dec 24. PMID: 24366622.

9 J Shu et al, 'Serum homocysteine levels and their association with clinical characteristics of inflammatory arthritis.' *Clin Rheumatol*, (2020), 39(11):3295-302. doi: 10.1007/s10067-020-05093-5. Epub 2020 May 7. PMID: 32377996.

10 A van Ede et al, 'Homocysteine and folate status in methotrexate-treated patients with rheumatoid arthritis.' *Rheumatology (Oxford)*, (2002), 41(6):658-65; O Slot, 'Changes in plasma homocysteine in arthritis patients starting treatment with low-dose methotrexate subsequently supplemented with folic acid.' *Scandinavian Journal of Rheumatology*, (2001),

30(5):305-7; N Hornung et al, 'Folate, homocysteine, and cobalamin status in patients with rheumatoid arthritis treated with methotrexate, and the effect of low dose folic acid supplement.' *Journal of Rheumatology*, (2004), 31(12):2374-81; M Hoekstra et al, 'Intermittent rises in plasma homocysteine in patients with rheumatoid arthritis treated with higher dose methotrexate.' *Annals of the Rheumatic Diseases*, (2005), 64(1):141-3; C Haagsma et al, 'Influence of sulphasalazine, methotrexate, and the combination of both on plasma homocysteine concentrations in patients with rheumatoid arthritis.' *Annals of the Rheumatic Diseases*, (1999), 58(2):79-84.

11 R Fijnheer et al, 'Homocysteine, methylenetetrahydrofolate reductase polymorphism, antiphospholipid antibodies, and thromboembolic events in systemic lupus erythematosus: a retrospective cohort study.' *Journal of Rheumatology*, (1998), 25(9):1737-42.

12 M Krogh Jensen et al, 'Folate and homocysteine status and haemolysis in patients treated with sulphasalazine for arthritis.' *Scandinavian Journal of Clinical Laboratory Investigation*, (1996), 56(5):421-9.

13 P Lazzarini et al, 'Homocysteine enhances cytokine production in cultured synoviocytes from rheumatoid arthritis patients.' *Clinical and Experimental Rheumatology*, (2006), 24(4):387-93.

14 J Lam et al., 'Proton pump inhibitor and histamine 2 receptor antagonist use and vitamin B12 deficiency', *JAMA*, 2013, Dec 11;310(22):2435-42.

15 M Flynn et al, 'The effect of folate and cobalamin on osteo-arthritic hands.' *Journal of the American College of Nutrition*, (1994), 13(4):351-6.

16 J Ellis, 'Free of Pain: A proven Inexpensive Treatment for Specific Types of Rheumatism.' Southwest Publishing (1983).

17 A Hoffer, 'Treatment of arthritis by nicotinic acid and nicotinamide.' *Canadian Medical Association Journal*, (1959), 81:235-8.

18 W Kaufman, 'The use of vitamin therapy to reverse certain concomitants of aging.' *Journal of the American Geriatrics Society*, (1955), 3(11):927-36.

19 W Jonas et al, 'The effect of niacinamide on osteoarthritis: a pilot study.' *Inflammation Research*, (1996), 45(7):330-4.

20 S Chrysant and M Ibrahim, 'Niacin-ER/statin combination for the treatment of dyslipidemia: focus on low high-density lipoprotein cholesterol.' *Journal of Clinical*

*Hypertension* (Greenwich, Conn.), (2006), 8(7):493-9; M Miller, 'Niacin as a component of combination therapy for dyslipidemia.' *Mayo Clinic proceedings*, (2003), 78(6):735-42.

21 L Mosher, 'Nicotinic acid side effects and toxicity: a review.' *The American Journal of Psychiatry*, (1970), 126(9):1290-6.

22 C Nelson et al, 'Changes in endochondral ossification of the tibia accompanying acute pantothenic acid deficiency in young rats.' *Proceedings of the Society of Experimental Biology and Medicine*, (1950), 73(1):31-6.

23 J Annand, 'Pantothenic Acid and Osteoarthritis.' *Lancet*, (1963), 2(7318):1168.

24 E Barton-Wright and W Elliott, 'The Pantothenic Acid Metabolism of Rheumatoid Arthritis.' *Lancet*, (1963), 2(7313):862-3.

25 No authors listed, 'Calcium pantothenate in arthritic conditions. A report from the General Practitioner Research Group.' *The Practitioner*, (1980), 224(1340):208-11.

## **Chapter 10**

1 A Kay and M Lessof, 'Allergy. Conventional and alternative concepts. A report of the Royal College of Physicians Committee on Clinical Immunology and Allergy.' *Clin Exp Allergy*, (1992), 22(Suppl3):1-44. doi:10.1111/j.1365-2222.1992.tb03109.x

2 B Fayyaz et al, 'Preclinical' rheumatoid arthritis in patients with celiac disease: A cross-sectional study.' *J Community Hosp Intern Med Perspect*, (2019), 9(2):86-91. doi: 10.1080/20009666.2019.1593777. PMID: 31044037; PMCID: PMC6484500.

3 M Lidén et al, 'Self-reported food intolerance and mucosal reactivity after rectal food protein challenge in patients with rheumatoid arthritis.' *Scand J Rheumatol*, (2010), 39(4):292-8. doi: 10.3109/03009740903379630. PMID: 20141485.

4 C O'Farrelly et al, 'Association between villous atrophy in rheumatoid arthritis and a rheumatoid factor and gliadin-specific IgG.' *Lancet*, (1988), 2(8615):819-22.

5 M Hvatum et al, 'The gut-joint axis: cross reactive food antibodies in rheumatoid arthritis.' *Gut*, (2006), 55(9):1240-7. doi:10.1136/gut.2005.076901

6 M van der Laar and J van der Korst, 'Food intolerance in rheumatoid arthritis. I. A double blind, controlled trial of the clinical effects of elimination of milk allergens and azo dyes.' *Annals of Rheumatic Diseases*, (1992), 51(3):298-302; M van der Laar and J van der Korst,

‘Food intolerance in rheumatoid arthritis. II. Clinical and histological aspects.’ *Annals of Rheumatic Diseases*, (1992), 51(3):303-6.

7 C O’Farrelly et al, ‘IgA rheumatoid factor and IgG dietary protein antibodies are associated in rheumatoid arthritis.’ *Immunological Investigations*, (1989), 18:753-64.

8 R Soares, ‘Irritable bowel syndrome, food intolerance and non-celiac gluten sensitivity. A new clinical challenge.’ *Arq Gastroenterol*, (2018), 55(4):417-22. doi: 10.1590/S0004-2803.201800000-88. PMID: 30785529.

9 F Sofi et al, ‘Effect of *Triticum turgidum* subsp. *turanicum* wheat on irritable bowel syndrome: a double-blinded randomised dietary intervention trial.’ *Br J Nutr*, (2014), 111(1):1992-9.

10 See a review of studies at <https://www.patrickholford.com/advice/Kamut-khorasan-wheat-supergrain>.

11 J Hicklin et al, ‘The effect of diet in rheumatoid arthritis.’ *Clinical Allergy*, (1980), 10(4):463.

12 R Panush et al, ‘Food-induced (allergic) arthritis. Inflammatory arthritis exacerbated by milk.’ *Arthritis and Rheumatism*, (1986), 29(2):220-6.

13 D Ratner et al, ‘Juvenile rheumatoid arthritis and milk allergy.’ *Journal of the Royal Society of Medicine*, (1985), 78(5):410-3; A Parke and G Hughes, ‘Rheumatoid arthritis and food: a case study.’ *British Medical Journal*, (1981), 282(6281):2027-9.

14 Marshall et al, *Clin Ecol*, (1984) 2:180-90.

15 T Sundqvist et al, ‘Influence of fasting on intestinal permeability and disease activity in patients with rheumatoid arthritis.’ *Scandinavian Journal of Rheumatology*, (1982), 11(1):33-8.

16 L Skoldstam, ‘Fasting and vegan diet in rheumatoid arthritis.’ *Scandinavian Journal of Rheumatology*, (1986), 15(2):219-23.

17 J Kjeldsen-Kragh et al, ‘Controlled trial of fasting and one-year vegetarian diet in rheumatoid arthritis.’ *Lancet*, (1991), 338(8772):899-902.

18 N Childers and G Russo, ‘*The Nightshades and Health*’, Horticulture Publications, Somerville, NJ, USA (1977).

19 A Zampelas et al, ‘Association between coffee consumption and inflammatory markers in healthy persons: the ATTICA study.’ *American Journal of Clinical Nutrition*, (2004),

80(4):862-7. A 50 per cent higher level of one of the markers (known as Interleukin 6), a 30 per cent higher level of another (known as C-reactive protein) and a 28 per cent higher level of a third (known as TNF) compared to non-coffee consumers.

20 K Sharif et al, 'Coffee and autoimmunity: More than a mere hot beverage!' *Autoimmun Rev*, (2017), 16(7):712-21. doi: 10.1016/j.autrev.2017.05.007. Epub 2017 May 4. PMID: 28479483.

## Chapter 11

1 A Vodjani, 'Lectins, agglutinins, and their roles in autoimmune reactivities.' *Altern Ther Health Med*, (2015), 21(Suppl1):46-51.

2 L Kucek et al, 'A Grounded Guide to Gluten: How Modern Genotypes and Processing Impact Wheat Sensitivity.' *Comprehensive Reviews in Food Science and Food Safety*, (2015), 14:285-98; see also Cuadroado et al, 'Effect of natural fermentation on the lectins of lentils' *Food and Agricultural Immunology* (2002), 14: 41-44

3 L Kucek et al, 'A Grounded Guide to Gluten: How Modern Genotypes and Processing Impact Wheat Sensitivity.' *Comprehensive Reviews in Food Science and Food Safety*, (2015), 14:285-98.

4 R Bland, 'Automated extraction of drugs from biological fluids.' *Int Clin Nutrition Rev*, (1984), 4(3):130-4.

5 F De Luca and Y Shoenfeld, 'The microbiome in autoimmune diseases.' *Clinical and experimental immunology*, (2019), 195(1):74-85. doi:10.1111/cei.13158

6 D Mandelet al, 'Bacillus coagulans: a viable adjunct therapy for relieving symptoms of rheumatoid arthritis according to a randomized, controlled trial.', *BMC complementary and alternative medicine*, (2010), 10:1. doi: 10.1186/1472-6882-10-1.

7 J So et al, 'Lactobacillus casei suppresses experimental arthritis by down-regulating T helper 1 effector functions.' *Molecular immunology*, (2008), 45(9):2690-9. doi: 10.1016/j.molimm.2007.12.010.

8 T Jalonen, 'Identical intestinal permeability changes in children with different clinical manifestations of cow's milk allergy.' *The Journal of Allergy and Clinical Immunology*, (1991), 88(5):737-42; see also N Kalach et al, 'Intestinal permeability in children: variation with age and reliability in the diagnosis of cow's milk allergy.' *Acta Paediatrica*, (2001), 90(5):499-504.

- 9 A Fasano, 'All disease begins in the (leaky) gut: role of zonulin-mediated gut permeability in the pathogenesis of some chronic inflammatory diseases.' *F1000Res*, (2020), 9:F1000. doi:10.12688/f1000research.20510.1; I Bjarnason et al, 'Intestinal permeability and inflammation in rheumatoid arthritis: effects of non-steroidal anti-inflammatory drugs.' *Lancet*, (1984), 2(8413):1171-41; H Mielants, 'Reflections on the link between intestinal permeability and inflammatory joint disease.' *Clinical and experimental rheumatology*, (1990), 8(5):523-4.
- 10 E Utzeri and P Usai, 'Role of non-steroidal anti-inflammatory drugs on intestinal permeability and nonalcoholic fatty liver disease.' *World J Gastroenterol*, (2017), 23(22):3954-63. doi:10.3748/wjg.v23.i22.3954

## **Chapter 12**

- 1 G Hall et al, 'Depressed levels of dehydroepiandrosterone sulphate in postmenopausal women with rheumatoid arthritis but no relation with axial bone density.' *Annals of the Rheumatic Diseases*, (1993), 52(3):211-4.
- 2 R McCraty et al, 'The impact of a new emotional self-management program on stress, emotions, heart rate variability, DHEA and cortisol.' *Integrative and Physiological and Behavioral Science*, (1998), 33(2):151-70.
- 3 N Ranjit et al, 'Psychosocial factors and inflammation in the multi-ethnic study of atherosclerosis.' *Archives of Internal Medicine*, (2007), 167:174-81.

## **Chapter 13**

- 1 J Pizzorno and M Murray, eds, *The Textbook of Natural Medicine*, John Bastyr College (1987).
- 2 Ibid.
- 3 See [http://www.epsomsaltcouncil.org/wp-content/uploads/2015/10/report\\_on\\_absorption\\_of\\_magnesium\\_sulfate.pdf](http://www.epsomsaltcouncil.org/wp-content/uploads/2015/10/report_on_absorption_of_magnesium_sulfate.pdf)

## **Chapter 14**



- 1 NASA report, American Medical Association Symposium, Florida (1982); M. Korcak, *Journal of the American Medical Association*, vol. 247, 1982, p. 8.
- 2 J Marier, 'Magnesium content of the food supply in the modern-day world.' *Magnesium*, (1986), 5(1):1-8.
- 3 He LY, Zhang XM, Liu B, Tian Y, Ma WH, 'Effect of magnesium ion on human osteoblast activity.' *Braz J Med Biol Res.* (2016 Jul 4);49(7):e5257. doi: 10.1590/1414-431X20165257. PMID: 27383121; PMCID: PMC4942226.
- 4 Belluci MM, de Molon RS, Rossa C Jr, Tetradis S, Giro G, Cerri PS, Marcantonio E Jr, Orrico SRP, 'Severe magnesium deficiency compromises systemic bone mineral density and aggravates inflammatory bone resorption.' *J Nutr Biochem.* (2020 Mar);77:108301. doi: 10.1016/j.jnutbio.2019.108301. Epub 2019 Nov 26. PMID: 31825817.
- 5 Mammoli F, Castiglioni S, Parenti S, Cappadone C, Farruggia G, Iotti S, Davalli P, Maier JAM, Grande A, Frassinetti C, 'Magnesium Is a Key Regulator of the Balance between Osteoclast and Osteoblast Differentiation in the Presence of Vitamin D<sub>3</sub>.' *Int J Mol Sci.* (2019 Jan 17);20(2):385. doi: 10.3390/ijms20020385. PMID: 30658432; PMCID: PMC6358963.
- 6 J Loughhead et al, 'A role for magnesium in neonatal parathyroid gland function.' *Journal of the American College of Nutrition*, (1991), 10(2):123-6.
- 7 A Shahi et al, 'The role of magnesium in different inflammatory diseases.' *Inflammopharmacology*, (2019), 27(4):649-61. doi: 10.1007/s10787-019-00603-7. Epub 2019 Jun 6. PMID: 31172335.
- 8 G Abraham, 'The importance of magnesium in the management of primary postmenopausal osteoporosis.' *Journal of Nutritional Medicine*, (1991), 2(2):165-78.
- 9 G Abraham and H Grewal, 'A total dietary program emphasizing magnesium instead of calcium. Effect on the mineral density of calcaneous bone in postmenopausal women on hormonal therapy.' *J Reprod Med*, (1990), 35(5):503-7. PMID: 2352244.
- 10 A Shmagel et al, 'Low magnesium intake is associated with increased knee pain in subjects with radiographic knee osteoarthritis: data from the Osteoarthritis Initiative.' *Osteoarthritis Cartilage*, (2018), 26(5):651-8. doi: 10.1016/j.joca.2018.02.002. Epub 2018 Feb 15. PMID: 29454594.

11 S Konstari et al, 'Dietary magnesium intake, serum high sensitivity C-reactive protein and the risk of incident knee osteoarthritis leading to hospitalization-A cohort study of 4,953 Finns.' *PLoS One*, (2019), 14(3):e0214064. doi: 10.1371/journal.pone.0214064. PMID: 30908508; PMCID: PMC6433216.

12 N Veronese et al, 'Dietary magnesium intake and fracture risk: data from a large prospective study.' *Br J Nutr*, (2017), 117(11):1570-6. doi: 10.1017/S0007114517001350. Epub 2017 Jun 20. PMID: 28631583; PMCID: PMC5753403.

13 See <https://vitamindwiki.com> for a full list of diseases for which sufficient vitamin D reduces the risk.

14 C Beaudart et al, 'The effects of vitamin D on skeletal muscle strength, muscle mass, and muscle power: a systematic review and meta-analysis of randomized controlled trials.' *J Clin Endocrinol Metab*, (2014), 99:4336-45; see also P Tomlinson et al, 'Effects of vitamin D supplementation on upper and lower body muscle strength levels in healthy individuals. A systematic review with meta-analysis.' *J Sci Med Sport*, (2015), 18:575-80.

15 Z Andjelkovic et al, 'Disease modifying and immunomodulatory effects of high dose 1 alpha (OH) D3 in rheumatoid arthritis patients.' *Clinical and Experimental Rheumatology*, (1999), 17(4):453-61; J Brohult and B Jonson, 'Effects of large doses of calciferol on patients with rheumatoid arthritis. A double-blind clinical trial.' *Scandinavian Journal of Rheumatology*, (1973), 2(4):173-6 (reduced disease activity); L Dottori et al, 'Calcifediol and calcitonin in the therapy of rheumatoid arthritis. A short-term controlled study.' *Minerva Medica*, (1982), 73(43):3033-40 (pain reduction).

16 J Cannell et al, 'Epidemic influenza and vitamin D.' *Epidemiol Infect*, (2006), 134(6):1129-40. doi: 10.1017/S0950268806007175. Epub 2006 Sep 7. PMID: 16959053; PMCID: PMC2870528.

17 A Zittermann, 'Vitamin D in preventive medicine: are we ignoring the evidence?' *British Journal of Nutrition*, (2003), 89(5):552-72.

18 H Bischoff-Ferrari, 'Optimal serum 25-hydroxyvitamin D levels for multiple health outcomes.' *Adv Exp Med Biol*, (2014), 810:500-25. doi: 10.1007/978-1-4939-0437-2\_28. PMID: 25207384.

19 P Pludowski et al, 'Vitamin D supplementation guidelines.' *J Steroid Biochem Mol Biol*, (2018), 175:125-35. doi: 10.1016/j.jsbmb.2017.01.021. Epub 2017 Feb 12. PMID: 28216084.

- 20 Y Guan et al, 'The Effect of Vitamin D Supplementation on Rheumatoid Arthritis Patients: A Systematic Review and Meta-Analysis.' *Frontiers in Medicine*, (2020), 7:596007. doi:10.3389/fmed.2020.596007
- 21 M Holick, 'Michael Holick, PhD, MD: vitamin D pioneer. Interview by Frank Lampe and Suzanne Snyder.' *Altern Ther Health Medicine*, (2008), 14(3):65-75.
- 22 G Plotnikoff and J Quigley, 'Prevalence of severe hypovitaminosis D in patients with persistent, nonspecific musculoskeletal pain.' *Mayo Clin Proc*, (2003), 78(12):1463-70.
- 23 F Al and M Al, 'Vitamin D deficiency and chronic low back pain in Saudi Arabia.' *Spine*, (2003), 28(2):177-9.
- 24 C Park, 'Vitamin D in the Prevention and Treatment of Osteoarthritis: From Clinical Interventions to Cellular Evidence.' *Nutrients*, (2019), 11(2):243. doi: 10.3390/nu11020243. PMID: 30678273; PMCID: PMC6413222.
- 25 J Kanis et al, 'European guidance for the diagnosis and management of osteoporosis in postmenopausal women.' *Osteoporosis International*, (a journal established as result of cooperation between the European Foundation for Osteoporosis and the National Osteoporosis Foundation of the USA), (2019), 30(1):3-44. doi:10.1007/s00198-018-4704-5.
- 26 B Lamke et al, 'Bone mineral content in women with vertebral fractures.' *Acta Medica Scandinavica*, (1980), 207(1-2):71-2; C Lee et al, 'Effects of supplementation of the diets with calcium and calcium-rich foods on bone density of elderly females with osteoporosis.' *American Journal of Clinical Nutrition*, (1981), 34(5):819-23; E Smith Jr et al, 'Physical activity and calcium modalities for bone mineral increase in aged women.' *Medicine and Science in Sports and Exercise*, (1981), 13(1):60-4.
- 27 M Tilyard et al, 'Treatment of postmenopausal osteoporosis with calcitriol or calcium.' *New England Journal of Medicine*, (1992), 326(6):57-62.
- 28 P Manoy et al, 'Vitamin D Supplementation Improves Quality of Life and Physical Performance in Osteoarthritis Patients.' *Nutrients*, (2017), 9(8):799. doi:10.3390/nu9080799.
- 29 S Zheng et al, 'Maintaining Vitamin D Sufficiency Is Associated with Improved Structural and Symptomatic Outcomes in Knee Osteoarthritis.' *Am J Med*, (2017), 130(10):1211-8. doi: 10.1016/j.amjmed.2017.04.038. Epub 2017 May 24. PMID: 28549923.
- 30 L Tripkovic et al, 'Comparison of vitamin D2 and vitamin D3 supplementation in raising serum 25-hydroxyvitamin D status: a systematic review and meta-analysis.' *The American journal of clinical nutrition*, (2012), 95(6):1357-64. doi:10.3945/ajcn.111.031070

- 31 X Kuang et al, 'The combination effect of vitamin K and vitamin D on human bone quality: a meta-analysis of randomized controlled trials.' *Food Funct*, (2020), 11(4):3280-97. doi: 10.1039/c9fo03063h. PMID: 32219282.
- 32 C Vermeer, 'Vitamin K: the effect on health beyond coagulation - an overview.' *Food & Nutrition Research*, (2012), 56:5329-35.
- 33 F Nielsen, 'Is boron nutritionally relevant?' *Nutrition Reviews*, (2008), 66(4):183-91.
- 34 R Newnham, 'Mineral imbalance and boron deficiency.' *Trace Element Metabolism in Man and Animals (Tema-4)*, Australian Academy of Science, 1981. pp. 400-402; and 'Boron is Essential. It Corrects and Prevents Arthritis.' conference presentation of the New Zealand Trace Element Group, Massey University, New Zealand (7-8 Aug 1984).
- 35 Ward, N.I. 'The determination of boron in biological materials by neutron irradiation and prompt gamma-ray spectrometry.' *Journal of Radioanalytical and Nuclear Chemistry, Articles* 110, 633–639 (1987). <https://doi.org/10.1007/BF02035552>
- 36 F Neilson et al, 'Effect of dietary boron on mineral, estrogen, and testosterone metabolism in postmenopausal women.' *The FASEB Journal*, (1987), 1(5):394-7.
- 37 R Travers et al, 'Boron and arthritis: the results of a double-blind pilot study.' *Journal of Nutritional Medicine*, (1990), 1:127-32.
- 38 S Hussain et al, 'The adjuvant use of calcium fructoborate and borax with etanercept in patients with rheumatoid arthritis: Pilot study.' *J Intercult Ethnopharmacol*, (2016), 6(1):58-64. doi: 10.5455/jice.20161204021549. PMID: 28163961; PMCID: PMC5289089.

## **Chapter 15**

1 O Gillie, '*Sunlight, Vitamin D & Health: A report of a conference held at the House of Commons in November 2005*', Health Research Forum Occasional Reports: No. 2 [Full Report can be downloaded at <http://www.healthresearchforum.org.uk/reports/sunbook.pdf>].

## **Chapter 16**

- 1I Setnikar et al, 'Pharmacokinetics of glucosamine in the dog and in man.' *Arzneimittel Forschung*, (1986), 36(4):729-35.
- 2 K Karzel and K Lee, 'Effect of hexosamine derivatives on mesenchymal metabolic processes of in vitro cultured fetal bone explants.' *Zeitschrift fur Rheumatologie*, (1982),

- 41(5):212-8; I Setnikar et al, 'Antireactive properties of glucosamine sulfate.' *Arzneimittel Forschung*, (1991), 41(2):157-61.
- 3 M Muraty, 'Glucosamine sulfate: effective osteoarthritis treatment.' *Amer J Nat Med*, (1994), see <https://altmedrev.com/wp-content/uploads/2019/02/v4-3-193.pdf>
- 4 J Reginster et al, 'Long-term effects of Glucosamine Sulphate on osteoarthritis progression: a randomised, placebo-controlled clinical trial.' *The Lancet*, (2001), 357(9252):251-6.
- 5 G Qui et al, 'Efficacy and safety of glucosamine sulfate versus ibuprofen in patients with knee osteoarthritis.' *Arzneimittelforschung*, (1998), 48(5):469-74.
- 6 V Lopes, 'Double-blind clinical evaluation of the relative efficacy of ibuprofen and glucosamine sulphate in the management of osteoarthrosis of the knee in out-patients.' *Current Medical Research and Opinion*, (1982), 8(3):145-9.
- 7 T Towheed et al, 'Glucosamine therapy for treating osteoarthritis.' *The Cochrane Database of Systematic Reviews*, (2005), 2:CD002946
- 8 N Giordano et al, 'The efficacy and tolerability of glucosamine sulfate in the treatment of knee osteoarthritis: A randomized, double-blind, placebo-controlled trial.' *Current Therapeutic Research, Clinical and Experimental*, (2009), 70(3):185-196.  
<https://doi.org/10.1016/j.curtheres.2009.05.004>
- 9 J Raynauld et al, 'Total Knee Replacement as a Knee Osteoarthritis Outcome: Predictors Derived from a 4-Year Long-Term Observation following a Randomized Clinical Trial Using Chondroitin Sulfate.' *Cartilage*, (2013), 4(3):219-26. <https://doi.org/10.1177/1947603513483547>
- 10 L Tio et al, 'Effect of chondroitin sulphate on synovitis of knee osteoarthritic patients.' *Medicina Clinica*, (2017), 149(1):916. <https://doi.org/10.1016/j.medcli.2016.12.045>
- 11 O Bruyere, 'Pharmaceutical-grade chondroitin sulfate in the management of knee osteoarthritis.' *Expert Opinion on Pharmacotherapy*, (2018), 19(4):409-12.  
<https://doi.org/10.1080/14656566.2018.1442438>
- 12 G Honvo et al, 'Efficacy of Chondroitin Sulfate in Patients with Knee Osteoarthritis: A Comprehensive Meta-Analysis Exploring Inconsistencies in Randomized, Placebo-Controlled Trials.' *Advances in Therapy*, (2019), 36(5):1085-99.  
<https://doi.org/10.1007/s12325-019-00921-w>
- 13 H Hehne et al, 'Therapy of gonarthrosis using chondroprotective substances. Prospective comparative study of glucosamine sulphate and glycosaminoglycan polysulphate.' *Fortschritte der Medizin*, (1984), 102(24):676-82.

14 D Clegg et al, 'Glucosamine, Chondroitin Sulfate, and the two in combination for painful knee osteoarthritis.' *New England Journal of Medicine*, (2006), 354(8):795-808.

15 Ibid.

16 M Hochberg et al, 'Combined chondroitin sulfate and glucosamine for painful knee osteoarthritis: a multicentre, randomised, double-blind, non-inferiority trial versus celecoxib.' *Annals of the Rheumatic Diseases*, (2016), 75(1):37-44. <https://doi.org/10.1136/annrheumdis-2014-206792>

17 J Roman-Blas et al, 'Combined Treatment with Chondroitin Sulfate and Glucosamine Sulfate Shows No Superiority Over Placebo for Reduction of Joint Pain and Functional Impairment in Patients With Knee Osteoarthritis: A Six-Month Multicenter, Randomized, Double-Blind, Placebo-Co.' *Arthritis & Rheumatology (Hoboken, N.J.)*, (2017), 69(1):77-85. <https://doi.org/10.1002/art.39819>

18 B Mazieres et al, 'Chondroitin Sulfate in osteoarthritis of the knee: a prospective, double blind, placebo controlled multicenter clinical study.' *Journal of Rheumatology*, (2001), 28(1):173-81; F Richy et al, 'Structural and symptomatic efficacy of glucosamine and chondroitin in knee osteoarthritis: a comprehensive meta-analysis.' *Archives of Internal Medicine*, (2003), 163(13):1514-22.

19 B Jang et al, 'Glucosamine hydrochloride specifically inhibits COX-2 by preventing COX-2 N-glycosylation and by increasing COX-2 protein turnover in a proteasome-dependent manner.' *Journal of Biological Chemistry*, (2007), 282(38):27622-32.

20 A Lomonte et al, 'Multicenter, randomized, double-blind clinical trial to evaluate efficacy and safety of combined glucosamine sulfate and chondroitin sulfate capsules for treating knee osteoarthritis.' *Advances in Rheumatology (London, England)*, (2018), 58(1):41.

<https://doi.org/10.1186/s42358-018-0041-9>

21 Methylsulfonylmethane (MSM) Monograph, *Alternative Medicine Review*, (2003), 8(4):438-41.

22 S Jacob et al, *The Miracle of MSM: The Natural Solution for Pain*, Putnam, 1999.

23 S Jacob and J Appleton, 'MSM: The Definitive Guide. A Comprehensive Review of the Science and Therapeutics of Methylsulfonylmethane.' (2003), Topanga, CA: Freedom Press, pp 107-121.

24 L Kim et al, 'Efficacy of methylsulfonylmethane (MSM) in osteoarthritis pain of the knee: a pilot clinical trial.' *Osteoarthritis and Cartilage*, (2006), 14(3):286-94.

<https://doi.org/10.1016/j.joca.2005.10.003>

- 25 E Debbi et al, 'Efficacy of methylsulfonylmethane supplementation on osteoarthritis of the knee: a randomized controlled study.' *BMC Complementary and Alternative Medicine*, (2011), 11:50. <https://doi.org/10.1186/1472-6882-11-50>
- 26 P Usha and M Naidu, 'Randomised, double-blind, parallel, placebo-controlled study of oral glucosamine, methylsulfonylmethane and their combination in osteoarthritis.' *Clinical Drug Investigation*, (2004), 24(6):353-63.
- 27 S Jacob and J Appleton, '*MSM: The Definitive Guide. A Comprehensive Review of the Science and Therapeutics of Methylsulfonylmethane.*' (2003), Topanga, CA: Freedom Press, pp 107-121.
- 28 R Gibson et al, 'Perna canaliculus in the treatment of arthritis.' *The Practitioner*, (1980), 224(1347):955-60.
- 29 A El-Ghobarey et al, 'Clinical and laboratory studies of levamisole in patients with rheumatoid arthritis.' *The Quarterly Journal of Medicine*, (1978), 47(187):385-400.
- 30 L Solomon, 'Drug-induced arthropathy and necrosis of the femoral head.' *Journal of Bone and Joint Surgery*, (1973), 55(2):246-61.
- 31 R Marcolongo et al, 'Double-blind multicentre study of the activity of S-adenosylmethionine in hip and knee osteoarthritis.' *Current therapeutic research, clinical and experimental*, (1985), 37(1985):82-94.
- 32 J Bradley et al, 'A randomized, double blind, placebo controlled trial of intravenous loading with S-adenosylmethionine (SAM) followed by oral SAM therapy in patients with knee osteoarthritis.' *The Journal of Rheumatology*, (1994), 21(5):905-11.
- 33 M. Colgan, '*Your Personal Vitamin Profile.*' Blond & Briggs (1983).

## **Chapter 17**

- 1 P Ganero, Biomarkers for osteoporosis management: utility in diagnosis, fracture risk prediction and therapy monitoring, *Molecular Diagnosis & Therapy*, (2008) 12, 3, 157-70.
- 2 R Eastell R, RA Hannon, Biomarkers of bone health and osteoporosis risk, *Proceedings of the Nutrition Society*, (2008) 67, 2 157-62.
- 3 J Rossouw et al, 'Risks and benefits of estrogen plus progestin in healthy postmenopausal women: principal results From the Women's Health Initiative randomized controlled trial.' *Journal of the American Medical Association*, (2002), 288(3):321-33.
- 4 V Beral et al, 'Breast cancer and hormone-replacement therapy in the Million Women Study.' *Lancet*, (2003), 362(9382):419-27.

5 D Felson et al, 'The effect of postmenopausal estrogen therapy on bone density in elderly women.' *New England Journal of Medicine*, (1993), 329(16):1141-6; J Rossouw et al, 'Risks and benefits of estrogen plus progestin in healthy postmenopausal women: principal results From the Women's Health Initiative randomized controlled trial.' *Journal of the American Medical Association*, (2002), 288(3):321-33.

6 D Felson et al, 'The effect of postmenopausal estrogen therapy on bone density in elderly women.' *New England Journal of Medicine*, (1993), 329(16):1141-6.

7 L Teppo et al, 'The true cost of pharmacological disease prevention.' *British Medical Journal*, (2011), 342:d2175. doi:10.1136/bmj.d2175

8 B Abrahamsen et al, 'Proton pump inhibitor use and the antifracture efficacy of alendronate.' *Archives of Internal Medicine*, (2011), 171(11):998-1004.

9 T Ito and R Jensen, 'Association of long-term proton pump inhibitor therapy with bone fractures and effects on absorption of calcium, vitamin B<sub>12</sub>, iron, and magnesium.' *Current Gastroenterology Reports*, (2010), 12(6):448-57.

10 Y Yang et al, 'Long-term proton pump inhibitor therapy and risk of hip fracture.' *Journal of the American Medical Association*, (2006), 296(24):2947-53.

11 Research presented by Professor Richard Bockman chief of endocrinology at Weill Cornell Medical College in New York at the Endocrine Society's 93 annual meeting in Boston June 2011.

12 Wu J, Xu L, Lv Y, Dong L, Zheng Q, Li L. 'Quantitative analysis of efficacy and associated factors of calcium intake on bone mineral density in postmenopausal women.' *Osteoporosis Int*. 2017 Jun;28(6):2003-2010. doi: 10.1007/s00198-017-3993-4. Epub 2017 Mar 23. PMID: 28337524; see also V Tai et al, 'Calcium intake and bone mineral density: systematic review and meta-analysis.' *BMJ*, (2015), 351:h4183. doi:10.1136/bmj.h4183; J Wu et al, 'Quantitative analysis of efficacy and associated factors of calcium intake on bone mineral density in postmenopausal women.' *Osteoporos Int*, (2017), 28(6):2003-2010. doi:10.1007/s00198-017-3993-4

13 Kunutsor SK, Whitehouse MR, Blom AW, Laukkanen JA. 'Low serum magnesium levels are associated with increased risk of fractures: a long-term prospective cohort study.' *Eur J Epidemiol*. (2017 Jul);32(7):593-603. doi: 10.1007/s10654-017-0242-2. Epub 2017 Apr 12. PMID: 28405867; PMCID: PMC5570773; see also Veronese N, Stubbs B, Solmi M, Noale



M, Vaona A, Demurtas J, Maggi S. 'Dietary magnesium intake and fracture risk: data from a large prospective study.' *Br J Nutr.* (2017 Jun);117(11):1570-1576. doi:

10.1017/S0007114517001350. Epub 2017 Jun 20. PMID: 28631583; PMCID: PMC5753403.

14 Sojka JE, Weaver CM. 'Magnesium supplementation and osteoporosis.' *Nutr Rev.* (1995 Mar);53(3):71-4. doi: 10.1111/j.1753-4887.1995.tb01505.x. PMID: 7770187.

15 Welch AA, Skinner J, Hickson M. 'Dietary Magnesium May Be Protective for Aging of Bone and Skeletal Muscle in Middle and Younger Older Age Men and Women: Cross-Sectional Findings from the UK Biobank Cohort.' *Nutrients.* (2017 Oct) 30;9(11):1189. doi: 10.3390/nu9111189. PMID: 29084183; PMCID: PMC5707661.

16 Cameron D, Welch AA, Adelnia F, Bergeron CM, Reiter DA, Dominguez LJ, Brennan NA, Fishbein KW, Spencer RG, Ferrucci L. 'Age and Muscle Function Are More Closely Associated With Intracellular Magnesium, as Assessed by 31P Magnetic Resonance Spectroscopy, Than With Serum Magnesium.' *Front Physiol.* (2019 Nov 27);10:1454. doi: 10.3389/fphys.2019.01454. PMID: 31827445; PMCID: PMC6892402.

17 Yao P, Bennett D, Mafham M, Lin X, Chen Z, Armitage J, Clarke R. 'Vitamin D and Calcium for the Prevention of Fracture: A Systematic Review and Meta-analysis.' *JAMA Netw Open.* (2019 Dec 2);2(12):e1917789. doi: 10.1001/jamanetworkopen.2019.17789. PMID: 31860103; PMCID: PMC6991219.

18 G Wasilewski et al, 'The Bone-Vasculature Axis: Calcium Supplementation and the Role of Vitamin K.' *Frontiers in cardiovascular medicine*, (2019), 6:6. doi: 10.3389/fcvm.2019.00006.

19 Y Zhang et al, 'Effect of Low-Dose Vitamin K2 Supplementation on Bone Mineral Density in Middle-Aged and Elderly Chinese: A Randomized Controlled Study.' *Calcified Tissue International*, (2020), 106(5):476-85. doi: 10.1007/s00223-020-00669-4.

20 H Malmir et al, 'Vitamin C intake in relation to bone mineral density and risk of hip fracture and osteoporosis: a systematic review and meta-analysis of observational studies.' *The British journal of nutrition*, (2018), 119(8):847-58. doi: 10.1017/S0007114518000430.

21 L Zeng et al, 'Can Dietary Intake of Vitamin C-Oriented Foods Reduce the Risk of Osteoporosis, Fracture, and BMD Loss? Systematic Review With Meta-Analyses of Recent Studies.' *Frontiers in Endocrinology*, (2019), 10:844. doi: 10.3389/fendo.2019.00844.

- 22 S Castiglioni et al, 'Magnesium and osteoporosis: current state of knowledge and future research directions.' *Nutrients*, (2013), 5(8):3022-33. doi: 10.3390/nu5083022; see also T Carpenter et al, 'A Randomized Controlled Study of Effects of Dietary Magnesium Oxide Supplementation on Bone Mineral Content in Healthy Girls.' *The Journal of Clinical Endocrinology & Metabolism*, (2006), 91(12):4866-72. doi: 10.1210/jc.2006-1391; see also H Dimai et al, 'Daily oral magnesium supplementation suppresses bone turnover in young adult males.' *The Journal of clinical endocrinology and metabolism*, (1998), 83(8):2742-8. doi: 10.1210/jcem.83.8.5015; see also H Aydin et al, 'Short-term oral magnesium supplementation suppresses bone turnover in postmenopausal osteoporotic women.' *Biological trace element research*, (2010), 133(2):136-43. doi: 10.1007/s12011-009-8416-8.
- 23 G Stendig-Lindberg et al, 'Trabecular bone density in a two year controlled trial of peroral magnesium in osteoporosis.' *Magnesium research*, (1993), 6(2):155-63.
- 24 Morter, Correlative Urinalysis, BEST Research Inc (1987). R Mazess and W Mather, 'Bone mineral content in North Alaskan Eskimos.' *American Journal of Clinical Nutrition*, (1974), 27(9):916-25.
- 25 D Feskanich et al, 'Protein consumption and bone fractures in women.' *American Journal of Epidemiology*, (1996), 143(5):472-9.
- 26 L Allen et al, 'Protein-induced hypercalcuria: a longer-term study.' *American Journal of Clinical Nutrition*, (1979), 32(4):741-9; C Anand and H Linkswiler, 'Effect of protein intake on calcium balance of young men given 500mg calcium daily.' *Journal of Nutrition*, (1974), 104(6):695-700.
- 27 R Cumming et al, 'Calcium intake and fracture risk: results from the study of osteoporotic fractures.' *American Journal of Epidemiology*, (1997), 145(10):926-34.
- 28 S Reddy et al, 'Effect of low-carbohydrate high-protein diets on acid-base balance, stone-forming propensity, and calcium metabolism.' *American Journal of Kidney Diseases*, (2002), 40(2):265-74.
- 29 L Allen et al, 'Protein-induced hypercalciuria: a longer term study.', *American Journal of Clinical Nutrition*, (1979), 32(4):741-9.
- 30 A Wachman and D Bernstein, 'Diet and osteoporosis.' *Lancet*, (1968), 1(7549):958-9.
- 31 L Zeng et al, 'Can Dietary Intake of Vitamin C-Oriented Foods Reduce the Risk of Osteoporosis, Fracture, and BMD Loss? Systematic Review With Meta-Analyses of Recent Studies.' *Frontiers in Endocrinology*, (2019), 10:844. doi: 10.3389/fendo.2019.00844.

- 32 M Miyao et al, 'Association of methylenetetrahydrofolate reductase (MTHFR) polymorphism with bone mineral density in postmenopausal Japanese women.' *Calcified Tissue International*, (2000), 66(3):190-4.
- 33 C Gjesdal et al, 'Plasma total homocysteine level and bone mineral density: the Hordaland Homocysteine Study.' *Archives of Internal Medicine*, (2006), 166(1):88-94; R McLean et al, 'Homocysteine as a predictive factor for hip fracture in older persons.' *New England Journal of Medicine*, (2004), 350(20):2042-9; J van Meurs et al, 'Homocysteine levels and the risk of osteoporotic fracture.' *New England Journal of Medicine*, (2004), 350(20):2033-41.
- 34 C Gjesdal et al, 'Plasma homocysteine, folate, and vitamin B 12 and the risk of hip fracture: the Hordaland homocysteine study.' *Journal of Bone and Mineral Research*, (2007), 22(5):747-56.
- 35 R McLean et al, 'Homocysteine as a predictive factor for hip fracture in older persons.' *New England Journal of Medicine*, (2004), 350(20):2042-9.
- 36 J van Meurs et al, 'Homocysteine levels and the risk of osteoporotic fracture.' *New England Journal of Medicine*, (2004), 350(20):2033-41.
- 37 Jianbo L, Zhang H, Yan L, Xie M, Mei Y, Jiawei C. 'Homocysteine, an additional factor, is linked to osteoporosis in postmenopausal women with type-2 diabetes.' *J Bone Miner Metab.* (2014 Nov);32(6):718-24. doi: 10.1007/s00774-013-0548-4. Epub 2013 Dec 24. PMID: 24366622.
- 38 M Herrmann et al, 'The role of hyperhomocysteinemia as well as folate, vitamin B(6) and B(12) deficiencies in osteoporosis: a systematic review.' *Clinical Chemistry and Laboratory Medicine*, (2007), 45(12):1621-32.
- 39 L Raisz, 'Homocysteine and osteoporotic fractures-culprit or bystander?' *New England Journal of Medicine*, (2004), 350(20):2089-90.
- 40 G Ravaglia et al, 'Folate, but not homocysteine, predicts the risk of fracture in elderly persons.' *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, (2005), 60(11):1458-62; A Cagnacci et al, 'Relation of homocysteine, folate, and vitamin B12 to bone mineral density of postmenopausal women.' *Bone*, (2003), 33(6):956-9; J Golbahar et al, 'Association of plasma folate, plasma total homocysteine, but not methylenetetrahydrofolate reductase C667T polymorphism, with bone mineral density in postmenopausal Iranian women: a cross-sectional study.' *Bone*, (2004), 35(3):760-5.
- 41 K Tucker et al, 'Low plasma vitamin B12 is associated with lower BMD: the Framingham Osteoporosis Study.' *Journal of Bone and Mineral Research*, (2005), 20(1):152-8; K Stone et

- al, 'Low serum vitamin B-12 levels are associated with increased hip bone loss in older women: a prospective study.' *Journal of Clinical Endocrinology and Metabolism*, (2004), 89(3):1217-21; M Morris et al, 'Relation between homocysteine and B-vitamin status indicators and bone mineral density in older Americans.' *Bone*, (2005), 37(2):234-42.
- 42 R McLean et al, 'Homocysteine as a predictive factor for hip fracture in older persons.' *New England Journal of Medicine*, (2004), 350(20):2042-9.
- 43 R Dhonukshe-Rutten et al, 'Vitamin B-12 status is associated with bone mineral content and bone mineral density in frail elderly women but not in men.' *Journal of Nutrition*, (2003), 133(3):801-7.
- 44 R Dhonukshe-Rutten et al, 'Homocysteine and vitamin B12 status relate to bone turnover markers, broadband ultrasound attenuation, and fractures in healthy elderly people.' *Journal of Bone and Mineral Research*, (2005), 20(6):921-9.
- 45 B Andersen et al, 'Proton pump inhibitors and osteoporosis.' *Curr Opin Rheumatol*, (2016), 28(4):420-5. doi: 10.1097/BOR.0000000000000291. PMID: 27224743.
- 46 Y Sato et al, 'Effect of folate and mecobalamin on hip fractures in patients with stroke: a randomized controlled trial.' *Journal of the American Medical Association*, (2005), 293(9):1082-8.
- 47 G Abraham, 'The importance of magnesium in the management of primary postmenopausal osteoporosis.' *Journal of Nutritional Medicine*, (1991), 2(2):165-78; A Gaby and J Wright, 'Nutrients and Osteoporosis.' *Journal of Nutritional Medicine*, (1990), 1(1):63-72.
- 48 J Prior, 'Progesterone as bone-trophic hormone.' *Endocrine Reviews*, (1990), 11(2):386-98.
- 49 J Prior et al, 'Spinal bone loss and ovulatory disturbances.' *New England Journal of Medicine*, (1990), 323(18):1221-7.
- 50 J Prior, 'Progesterone for the prevention and treatment of osteoporosis in women.' *Climacteric*, (2018), 21(4):366-74. doi: 10.1080/13697137.2018.1467400. Epub 2018 Jul 2. PMID: 29962257.
- 51 J Lee, 'Osteoporosis reversal – the role of progesterone.' *Intl Clin Nutr Rev*, (1990), 10:384-91; J Lee, 'Osteoporosis reversal with transdermal progesterone', *Lancet*, (1990), 336(8726):1327.

- 52 A Cooper et al, 'Systemic absorption of progesterone from Progest cream in postmenopausal women.' *The Lancet*, (1998), 351:1255-6.
- 53 M Akhlaghi et al, 'Soy isoflavones prevent bone resorption and loss, a systematic review and meta-analysis of randomized controlled trials.' *Crit Rev Food Sci Nutr*, (2020), 60(14):2327-41. doi: 10.1080/10408398.2019.1635078. Epub 2019 Jul 10. PMID: 31290343.
- 54 D Agnusdei et al, 'A double-blind, placebo-controlled trial of ipriflavone for prevention of post-menopausal spinal bone loss.' *Calcified Tissue International*, (1997), 61(2):142-7; T Ushiroyama et al, 'Efficacy of ipriflavone and 1 alpha vitamin D therapy for the cessation of vertebral bone loss.' *International Journal of Gynaecology and Obstetrics*, (1995), 48(3):283-8; D Agnusdei et al, 'Prevention of early postmenopausal bone loss using low doses of conjugated estrogens and the non-hormonal, bone-active drug ipriflavone.' *Osteoporosis International*, (1995), 5(6):462-6.
- 55 M Lambert et al, 'Combined bioavailable isoflavones and probiotics improve bone status and estrogen metabolism in postmenopausal osteopenic women: a randomized controlled trial.' *The American Journal of Clinical Nutrition*, (2017) 106 (3)909–920, <https://doi.org/10.3945/ajcn.117.153353>
- 56 G Abraham, 'The importance of magnesium in the management of primary postmenopausal osteoporosis.' *Journal of Nutritional Medicine*, (1991), 2(2):165-78; A Gaby and J Wright, 'Nutrients and Osteoporosis', *Journal of Nutritional Medicine*, (1990), 1(1):63-72.

## **Chapter 18**

- 1 K Henriksson and A Bengtsson, 'Fibromyalgia – a clinical entity?' *Canadian Journal of Physiology and Pharmacology*, (1991), 69(5):672-7.
- 2 A Bengtsson and K Henriksson, 'The muscle in fibromyalgia - a review of Swedish studies.' *Journal of Rheumatology*, (1989), 19(Suppl):144-9.
- 3 S Myhill et al, 'Targeting mitochondrial dysfunction in the treatment of myalgic encephalomyelitis/chronic fatigue syndrome (ME/CFS) – a clinical audit.' *International Journal of Clinical Experimental Medicine*, (2013), 6(1):1-15.

4 S Mehrabani et al, 'Effect of coenzyme Q10 supplementation on fatigue: A systematic review of interventional studies.' *Complementary therapies in medicine*, (2019), 43:181-7. doi: 10.1016/j.ctim.2019.01.022.

5 F Di Pierro et al, 'Role for a water-soluble form of CoQ10 in female subjects affected by fibromyalgia. A preliminary study.' *Clinical and experimental rheumatology*, (2017), 35(Suppl1(3)):20-7.

6 M Cordero et al, 'Can coenzyme q10 improve clinical and molecular parameters in fibromyalgia?' *Antioxidants & redox signaling*, (2013), 19(12):1356-61. doi: 10.1089/ars.2013.5260.

7 M Cordero et al, 'Oxidative stress correlates with headache symptoms in fibromyalgia: coenzyme Q<sub>10</sub> effect on clinical improvement.' *PloS one*, (2012), 7(4):e35677. doi: 10.1371/journal.pone.0035677.

8 M Cordero et al, 'NLRP3 inflammasome is activated in fibromyalgia: the effect of coenzyme Q10.' *Antioxidants & redox signaling*, (2014), 20(8):1169-80. doi: 10.1089/ars.2013.5198.

9 E Alcocer-Gómez et al, 'Coenzyme q10 regulates serotonin levels and depressive symptoms in fibromyalgia patients: results of a small clinical trial.' *Journal of Clinical Psychopharmacology*, (2014), 234(2):277-8. doi: 10.1097/JCP.0000000000000097.

10 J Eisinger et al, 'Glycolysis abnormalities in fibromyalgia.' *Journal of the American College of Nutrition*, (1994), 13(2):144-8.

11 M Nicolodi and F Sicuteri, 'Fibromyalgia and migraine. Two faces of the same mechanism: serotonin as the common clue for pathogenesis and therapy.' *Advances in Experimental Medicine and Biology*, (1996), 398:373-9; P Sarzi Puttini and I Caruso 'Primary fibromyalgia syndrome and 5-hydroxytryptophan: a 90-day open study.' *The Journal of International Medical Research*, (1992), 20(2):182-9; See also K Lawson, 'Tricyclic antidepressants and fibromyalgia: what is the mechanism of action?' *Expert Opinion on Investigational Drugs*, (2002), 11(10):1437-45; 12 I Caruso et al, 'Double-blind study of 5-hydroxytryptophan versus placebo in the treatment of primary fibromyalgia syndrome.' *The Journal of International Medical Research*, (1990), 18(3):201-9.

12 M Nicolodi and F Sicuteri, 'Eosinophilia myalgia syndrome: The role of contaminants, the role of serotonergic set up.' *Advances in Experimental Biology and Medicine*, (1996), 398:351-7.

13 B Regland et al, 'Increased concentrations of homocysteine in the cerebrospinal fluid in patients with fibromyalgia and chronic fatigue syndrome.' *Scandinavian Journal of Rheumatology*, (1997), 26(4):301-7.

14 W Weglicki et al, 'Immunoregulation by neuropeptides in magnesium deficiency: ex vivo effect of enhanced substance P production on circulating T lymphocytes from magnesium-deficient mice.' *Magnesium Research*, (1996), 9(1):3-11.

15 M Seelig, 'Consequences of magnesium deficiency on the enhancement of stress reactions; preventive and therapeutic implications (a review).' *Journal of the American College of Nutrition*, (1994), 13(5):429-46.

16 G Abraham and J Flechas, 'Management of Fibromyalgia: Rational for the use of magnesium and malic acid.' *Journal of Nutritional Medicine*, (1992), 3:49-59; V Bobyleva-Guarriero and H Lardy, 'The role of malate in exercise-induced enhancement of mitochondrial respiration.' *Archives of Biochemistry and Biophysics*, (1986), 245(2):470-6.

17 M Holick, 'Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis.' *American Journal of Clinical Nutrition*, (2004), 79(3):362-71.

18 I Russell et al, 'Treatment of fibromyalgia syndrome with Super Malic: a randomized, double blind, placebo controlled, crossover pilot study.' *The Journal of rheumatology*, (1995), 22(5):953-8. Available at: <http://europepmc.org/abstract/MED/8587088>.

19 A Andretta et al, 'Relation between magnesium and calcium and parameters of pain, quality of life and depression in women with fibromyalgia.' *Advances in Rheumatology* (London, England), (2019), 59(1):55. doi: 10.1186/s42358-019-0095-3; see also S Sakarya et al, 'The relationship between serum antioxidant vitamins, magnesium levels, and clinical parameters in patients with primary fibromyalgia syndrome.' *Clinical Rheumatology*, (2011), 30(8):1039-43. doi: 10.1007/s10067-011-1697-2.

## **Chapter 19**

- 1 H Choi et al, 'Intake of Purine-Rich Foods, Protein, and Dairy Products and Relationship to Serum Levels of Uric Acid: the Third National Health and Nutrition Examination Survey.' *Arthritis Rheum*, (2005), 52(1): 283-9.
- 2 <http://www.acumedico.com/purine.htm>
- 3 G Tate et al, 'Suppression of monosodium urate crystal-induced acute inflammation by diets enriched with gamma-linolenic acid and eicosapentaenoic acid.' *Arthritis and Rheumatism*, (1988), 31(12):1543-51.
- 4 R Jacob et al, 'Consumption of cherries lowers plasma urate in healthy women.' *Journal of Nutrition*, (2003), 133(6):1826-9.
- 5 H Wang et al, 'Antioxidant and anti-inflammatory activities of anthocyanins and their aglycon, cyanidin, from tart cherries.' *Journal of Natural Products*, (1999), 62(2):294-6; N Seeram et al, 'Cyclooxygenase inhibitory and antioxidant cyanidin glycosides in cherries and berries.' *Phytomedicine*, (2001), 8(5):362-9; N Seeram et al, 'Degradation products of cyanidin glycosides from tart cherries and their bioactivities.' *Journal of Agricultural and Food Chemistry*, (2001), 49(10):4924-9; J Tall et al, 'Tart cherry anthocyanins suppress inflammation-induced pain behavior in rat.' *Behavioural Brain Research*, (2004), 153(1):181-8.
- 6 H Choi et al, 'Alcohol intake and risk of incident gout in men: a prospective study.' *The Lancet*, (2004), 363(9417):1277-81.

## **Chapter 20**

- 1 S Davies, 'Nutritional Flat Earthers.' *Journal of Nutritional Medicine*, (1990), 1(3):167-70.
- 2 Data used for these analyses are either obtained from Public Health England's *National Diet and Nutrition Surveys* or from this paper: E Derbyshire, 'Micronutrient Intakes of British Adults Across Mid-Life: A Secondary Analysis of the UK National Diet and Nutrition Survey.' *Frontiers in nutrition*. (2018), 5:55. doi:10.3389/fnut.2018.00055
- 3 C Bates et al, 'Micronutrients: highlights and research challenges from the 1994-5 National Diet and Nutrition Survey of people aged 65 years and over.' *Br J Nutr*, (1999), 82(1):7-15.
- 4 W Calame et al, 'Vitamin D Serum Levels in the UK Population, including a Mathematical Approach to Evaluate the Impact of Vitamin D Fortified Ready-to-Eat Breakfast Cereals: Application of the NDNS Database. *Nutrients*, (2020), 12(6):1868. doi:10.3390/nu12061868



5 I Boers et al, 'Favourable effects of consuming a Palaeolithic-type diet on characteristics of the metabolic syndrome: a randomized controlled pilot-study.' *Lipids in health and disease*, (2014), 13:160. doi:10.1186/1476-511X-13-160

6 RSC Food Chemistry Symposium (November 1992)

7 Ibid.

8 Ibid.

9 R Micha et al, 'Association Between Dietary Factors and Mortality from Heart Disease, Stroke, and Type-2 Diabetes in the United States.' *JAMA*, (2017), 317(9):912-24.

doi:10.1001/jama.2017.0947

10 The Vitamin Controversy, ION (1987)

## Chapter 21

1 A Bordoni et al, 'Dairy products and inflammation: A review of the clinical evidence.' *Crit Rev Food Sci Nutr*, (2017), 57(12):2497-525. doi: 10.1080/10408398.2014.967385. PMID: 26287637.

2 F Ellis et al, 'Incidence of osteoporosis in vegetarians and omnivores.' *American Journal of Clinical Nutrition*, (1972), 25(6):555-8.

3 A Marsh et al, 'Cortical bone density of adult lacto-ovo-vegetarian and omnivorous women.' *Journal of the American Dietetic Association*, (1980), 76(2):148-51.

4 I Boers et al, 'Favourable effects of consuming a Palaeolithic-type diet on characteristics of the metabolic syndrome: a randomized controlled pilot-study.' *Lipids in health and disease*, (2014), 13:160. doi:10.1186/1476-511X-13-160

5 M Gabor, 'Pharmacologic effects of flavonoids on blood vessels.' *Angiologica*, (1972), 9(3-6):355-74; see also J Kuhnau, 'The flavonoids. A class of semi-essential food components: their role in human nutrition.' *World Review of Nutrition and Dietetics*, (1976), 24:117-91; see also B Havsteen, 'Flavonoids, a class of natural products of high pharmacological potency.' *Biochemical Pharmacology*, (1983), 32(7):1141-8; see also E Middleton Jr and C Kandaswami, 'Effects of flavonoids on immune and inflammatory cell functions.' *Biochemical Pharmacology*, (1992), 43(6):1167-79.

6 Neligan and Salt, *Lancet*, (1934), 2:209.

7 A. E. Osterberg et al., 'The Absorption of Sulphur Compounds during treatment by sulphur baths', *Archives of Dermatology and Syphilology*, vol. 20 (2), 1929, pp. 158–66

### **Chapter 23**

1 Sunagawa Y, Hirano S, Katanasaka Y, Miyazaki Y, Funamoto M, Okamura N, Hojo Y, Suzuki H, Doi O, Yokoji T, Morimoto E, Takashi T, Ozawa H, Imaizumi A, Ueno M, Kakeya H, Shimatsu A, Wada H, Hasegawa K, Morimoto T. 'Colloidal submicron-particle curcumin exhibits high absorption efficiency-a double-blind, 3-way crossover study.' *J Nutr Sci Vitaminol (Tokyo)*. 2015;61(1):37-44. doi: 10.3177/jnsv.61.37. PMID: 25994138. You can see the full paper here: [https://www.jstage.jst.go.jp/article/jnsv/61/1/61\\_37/\\_pdf](https://www.jstage.jst.go.jp/article/jnsv/61/1/61_37/_pdf)

### **Chapter 25**

1 Solomon on Bland, J., Nutrition Symposium tape (1984).

2 E Smith Jr et al, 'Physical activity and calcium modalities for bone mineral increase in aged women.' *Medicine and Science in Sports and Exercise*, (1981), 13(1):60-4.